
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.





PRINCETON NURSERIES

Wholesale Price List

FALL 1949 — SPRING 1950

William Flemer's Sons, Inc

Princeton, N. J.

Telephone 1776



FOREWORD

For the coming seasons, we offer an excellent lot of ornamental stock in wide assortment.

Our prices are as low as can be consistent with good quality.

Make Princeton headquarters for your requirements and bear in mind that we offer quick truck delivery service covering a large area. Charges are reasonable.

We believe that business will be good and are in a position to serve you well.

EARLY PURCHASE ASSURES BETTER ASSORTMENT

REMEMBER!

WE SPECIALIZE IN GROWING QUALITY NURSERY STOCK.

WE DO NO LANDSCAPING OR PLANTING JOBS.

WE ARE NOT YOUR COMPETITORS.

PRINCETON NURSERIES

Princeton, New Jersey.

WM. FLEMER, JR.

President

PRINCETON PRODUCTS ARE QUALITY PRODUCTS

Conditions of Sale

PRICES, ETC.

The prices named in this list cancel all previous lists. They are based on current market conditions and are subject to change without notice.

Terms

PRICES: F.O.B. NURSERY AT KINGSTON, N. J.

To those with an established record for prompt payment or with satisfactory references, we are glad to extend our regular terms of thirty days from date of invoice.

- 2% DISCOUNT will be allowed for payment in ten days from date of invoice.
- 5% DISCOUNT will be allowed for CASH IN FULL with the order, providing digging or delivery is scheduled for not less than 30 days from date of order.

Orders for **shipment C.O.D.** must be accompanied by a remittance for one-third of the amount to insure acceptance. These are our only terms and no salesman or representative is authorized to alter them in any way unless confirmed from the office in writing.

25% ADDITIONAL CHARGE For SPECIAL SELECTION and TAGGING in the Nursery

Reduction in personnel makes it imperative to make a charge of 25 per cent additional on our regular listed price for the special selection and marking in the nursery of extra heavy or specimen plants. We invite inspection of our material and on quantity orders will, if requested, mark an average sample to assist our diggers in the selection of the grade wanted.

CLAIMS

All sales are made with the understanding that we shall not be liable in event of crop loss, or of damage from other causes over which we have no control.

We will gladly correct any errors, but we cannot entertain any claims that are not made within ten days after receipt of the stock or are made after the stock has once been accepted. Claims should be made promptly in writing on receipt of stock.

Plants become your property upon delivery to transportation company and we cannot be responsible for loss, damage, or delay in transit.

All orders booked are based on the distinct understanding that the purchaser agrees to the condition of sales as stated above.

SCHEDULE OF B&B CHARGES

The following charges are made to cover additional cost of balling and burlapping deciduous trees and shrubs that are not listed B&B. The size of ball for most stock is in accordance with the A.A.N. "Horticultural Standards" recommendations.

These charges are based on a carefully dug, solid ball of earth, laced with rope or wire, and handled according to the best nursery practice.

TREES, SHRUBS AND SMALL TREES

Diam.		Estimated	
of ball	Size	Weight	Each
10"	18/24"	30 lbs	.60
12"	2/3'	45 lbs	.95
13"	3/4'	60 lbs	1.50
15"	4/5'	75 lbs	2.00
16"	5/6'	100 lbs	2.50
18"	6/8'	150 lbs	3.50
21"	8/10′	225 1bs	5.00

Due to uncertain labor conditions, the following sizes are quoted subject to our ability to get help. In other words, we cannot guarantee to dig these sizes.

24"	2" cal.	300 lbs	6.75
28"	$2\frac{1}{2}$ cal.	750 lbs	9.25
32"	3" cal.	750 lbs	12.50
36"	$3\frac{1}{2}$ cal.	1150 lbs.	18.75
40"	4" cal.	1600 lbs	25.00
44"	4½ cal.	2100 lbs	31.25
48"	5" cal.	2750 lbs	37.50
54"		4000 lbs	56.00
60"		5500 lbs	

The above charges apply only F.O.B. NURSERY. We will be glad to estimate a delivered price based on the terms of delivery on page 3.

Ball depth will normally be not less than 60% of the diameter, and in all cases is adjusted so as to encompass a maximum of the fibrous root system of the plant.

PLATFORMS

Platforms, if required, will be charged for at the following schedule of prices based on actual cost of labor and material.

The amount so charged will be rebated, providing customers return platforms at their own expense.

Platform	Usual	
size	Ball Size	Charge
24" Sq.	30" to 36"	\$2.00
24" Sq. 28" Sq.	32" to 40"	2.25
30" Sq.	36" to 44"	2.50
32" Sq.	40" to 48"	3.00
36" Sq.	48" to 54"	3.75
40" Sq.	54" to 60"	5.00

12x15" 23x28" Length 15x16" 17x20" 19x24" 27x32" 32x36" 1.60 4 \$1.40 1.90 2.40 2.60 3.00 2.60 6' 2.10 2.40 2.85 3.60 3.90 4.50 5.40 8' 2.80 3.20 3.80 5.10 4.80 6.00 7.20 10' 3.50 4.00 4.75 6.00 6.50 7.50 9.00 12' 5.70 4.20 4.80 7.20 7.80 9.00 10.80 14' 4.90 5.60 6.65 8.40 9.10 10.50

BOXING CHARGES

Packing charges are at cost and represent the actual cost of the material used in the operation. No charge will be made for loading bulk truck or car lots.

DELIVERY SERVICE

DELIVERY CHARGES ARE NET AND DUE WHEN STOCK IS DELIVERED.

DELIVERING AGENT OR DRIVER WILL COLLECT THIS CHARGE WHEN DELIVERY IS MADE.

We cannot guarantee to make deliveries, but will be glad to estimate the delivery cost and to arrange for trucking of your orders contingent on our ability at the time to use our own equipment or hire trucking.

"CARLOADS" AND FREIGHT SHIPMENT

Whenever it is practical we recommend rail shipment by freight or express.

With our own railroad siding connecting with the main line of the Pennsylvania Railroad and a daily pickup service on L.C.L. and express shipments, we are in a position to expedite shipment to you without delay. Consult your local agent for rates to Monmouth Junction, N. J.

GUARANTEE OF GENUINENESS

We will send out healthy, thrifty stock, true to name. If any nursery stock proves untrue to description or variety name under which it is sold, we hold ourselves in readiness, on proper proof, to replace free of charge such stock that may prove untrue to description or name, or refund the original amount paid. We shall in no case be liable for any sum greater than the amount originally received for said stock.

COME TO SEE US

If you come by rail, use Pennsylvania Railroad and get off at Princeton Junction. Call Princeton 1776. We will send a car for you.

If you come by automobile our nurseries are on U. S. Highway No. 1, about ten miles northeast from Trenton. Watch for our signs.

NOTES IN EXPLANATION OF CATALOGUE

The figures following each variety indicate in feet the approximate height of that plant at maturity. Ample allowance has been made for the many physical factors that tend to modify the growth of plants in cultivation.

The botanical and common names are largely taken from the 1924 edition of "Standardized Plant Names." Changes in nomenclature according to the revised "Second Edition," which have not become generally familiar to the trade, are shown in parenthesis and crossindexed for reference.

Our standard of grading all plants is based on a schedule which has

been adopted by the American Association of Nurserymen.

To facilitate the handling of orders and to enable us to render you quicker and better service we desire where possible, especially in deciduous material, that orders be made in multiples of 10. Many varieties are tied in 10's when graded. Your cooperation will be appreciated.

of A lo			1.11
	TT 1/ T		X
		ice in Quar	
	1-9	10-49	50-249
ABELIA Edouard Gouchet		Nev	v Abelia
Evergreen. Small, medium lilac-pink flo	ower.		
9 to 12 in., pots or B&B	.85	.70	.55
12 to 15 in., pots or B&B	1.10	.95	.75
15 to 18 in., pots or B&B	1.50	1.25	1.00
— grandiflora, 3'-4'		Glossy	Abelia
Evergreen. Lilac-white tinted flowers. E	Blooms al	l summer.	
12 to 15 in., pots or B&B	.75	.60	.50
15 to 18 in., pots or B&B	1.25		.85
18 to 24 in., pots or B&B	1.65	1.35	1.10
2 to 3 ft., pots or B&B	2.25	1.90	1.50
AGANMATONANA			
ACANTHOPANAX pentaphylum (sieboldian			f Aralia
Glossy, rich green foliage. Succeeds in	shaded a	reas, nortl	hern ex-
posures, and dry locations. Shears well			
18 to 24 in	,	.30	.25
2 to 3 ft	.55	.45	0.20.0
3 to 4 ft		.55	.45
4 to 5 ft	.90	.75	.30
ACTED	ma.		
ACER — — MAPLI	ES		
ACER campestre, 25'		Hedg	e Maple
Corky bark. Good in dry locations in un	dergrowt	h. Grows s	lowly.
6 to 8 ft	4.00	3.35	2.65
0 to 10 ft	4 0 0	0.00	2.00

8 to 10 ft.....

4.90

4.05

3.25

	Unit Pr 1-9	ice in Qua 10-49	ntities 50-249
ACER dasycarpum, 60'-80'		Silv	er Maple
Quick growing, graceful. Leaves silvery	underne		er maple
6 to 8 ft	1.10	.95	.75
8 to 10 ft., 1¼ to 1½ in.	1.50	1.25	1.00
10 to 12 ft., 1½ to 1¾ in	2.25	1.90	$\frac{1.50}{1.50}$
*			
— ginnala, 10'-12'		Am	ur Maple
Compact growing. Excellent fall colorin	g. Very h	ardy.	
6 to 8 ft	$\boldsymbol{2.25}$	1.90	1.50
8 to 10 ft	3.00	2.50	2.00
10 to 12 ft	3.75	$\frac{3.00}{5.05}$	$\frac{2.50}{4.75}$
12 to 14 it	7.15	5.85	4.75
— negundo, 60'			Boxelder
Succeeds under adverse conditions. Goo	d in seas		
10 to 12 ft., 1½ to 1¾ in	2.60	2.20	1.75
10 to 12 ft., 1 ¾ to 2 in.		$\frac{2.20}{2.80}$	2.25
12 to 14 ft., 2 to 2½ in	4.50	3.75	
12 to 14 ft., 2½ to 3 in	$\boldsymbol{6.00}$	5.00	
JAPANESE MAPL	TIQ.		
			, ,
— palmatum atropurpurem, 6'-8'	_	nese Red	_
A good dwarf tree with rich purple-re	ed leaves	all summe	er.
Best in sun.	0.00	0.00	1.75
	$2.60 \\ 3.40$	$\substack{2.20\\2.80}$	$\begin{array}{c} 1.75 \\ 2.25 \end{array}$
	$\frac{3.40}{4.50}$	$\begin{array}{c} 2.30 \\ 3.75 \end{array}$	$\frac{2.23}{3.00}$
	6.00	5.00	4.00
— — nigrum, 6'-8'			
A select strain of purple Japanese Mapl			
12 to 15 in., B&B or pots	3.00	2.50	2.00
15 to 18 in., B&B or pots	$\frac{3.75}{5.05}$	$\frac{3.00}{4.40}$	$\frac{2.50}{2.50}$
18 to 24 in., B&B	$\boldsymbol{5.25}$	4.40	3.50
mleteralder FOI FFI		Norw	ay Maple
— platanoides, 50'-75'	rroon foli		ay mapic
Most popular for street planting. Dark g	2.60	2.20	1.75
6 to 8 ft. 8 to 10 ft., 1 to 1 1/4 in	$\begin{array}{c} 2.60 \\ 3.75 \end{array}$	$\frac{2.20}{3.00}$	$\begin{array}{c} 1.13 \\ 2.50 \end{array}$
9 to 11 ft., 1 ¼ to 1 ½ in	5.25	4.40	3.50
10 to 12 ft., 1½ to 1¾ in	7.50	6.00	5.00
11 to 13 ft., 1 ¾ to 2 in	9.00	7.50	6.00
12 to 14 ft., 2 to 2 ½ in	12.00	10.00	8.00
13 to 16 ft., 2 ½ to 3 in	15.00	12.00	10.00
15 to 20 ft., 3 ½ to 4 in	26.00	22.00	19.00
16 to 22 ft., 4 to 4 ½ in	30.00	26.00	22.00
18 to 24 ft., 4 ½ to 5 in	40.00	32.00	26.00
— — columnare, 50'-75'		nar Norwa	
An outstanding, compact growing tree.	Very use	ful where	a narrow
dense tree is desired.			
12 to 14 ft., 2 to 2½ in	12.00	10.00	8.00
13 to 16 ft., 2½ to 3 in	15.00	12.00	10.00

	Unit Pr	Unit Price in Quantities		
	1-9	10-49	50-249	
ACER platanoides schwedleri, 40'-60'		Schwedle	er Maple	
Purple leaved Norway Maple.				
6 to 8 ft	3.75	3.00	2.50	
8 to 10 ft	$\boldsymbol{5.25}$	4.40	3.50	
8 to 10 ft., 1 1/4 to 1 1/2 in	6.75	$\boldsymbol{5.50}$	4.50	
9 to 12 ft., 1½ to 1¾ in	9.00	7.50	6.00	



Norway Maples—Clean, straight, and thrifty. Our trees are second to none.

— rubrum, 50'-75'	\mathbf{Red}	or Scarle	t Maple
Brilliant fall coloring. Excellent in dam	p location	s.	
6 to 8 ft	3.00	2.50	2.00
8 to 10 ft., 1 to 1 1/4 in	3.40	2.80	2.25
9 to 11 ft., 1¼ to 1½ in	4.50	3.75	3.00
10 to 12 ft., 1½ to 1¾ in	6.00	5.00	4.00
11 to 13 ft. 1 3/4 to 2 in	7.50	6.00	5.00
12 to 14 ft., 2 to 2½ in	10.00	8.00	6.50

	Unit Pri	ice in Quai 10-49	ntities 50-249
ACER saccharum, 50'-75'			ar Maple
A stately, long lived tree. Rich autumn in most locations.	coloring	. Very sati	isfactory
6 to 8 ft	2.60	2.20	1.75
8 to 10 ft., 1 to 1¼ in	3.75	3.00	2.50
9 to 11 ft., 1¼ to 1½ in	$\boldsymbol{5.25}$	4.40	3.50
10 to 12 ft., 1½ to 1¾ in	7.50	6.00	5.00
11 to 13 ft., 1 ¾ to 2 in	9.00	7.50	6.00
12 to 14 ft., 2 to 2 ½ in	13.50	11.00	9.00
ACTINIDIA arguta, 20'-30'		Border A	Actinidia
Greenish white flowers in July. Rich dar Yellow berries.	k green f	foliage.	
12 to 18 in	.45	.37	
18 to 24 in	.60	.50	
2 to 3 ft	.75	.60	<u> </u>
AESCULUS glabra, 25'		Ohio	Buckeye
Makes a small tree of handsome appearin May. Foliage turns yellow in fall.	arance w	ith yellow	flowers
2 to 3 ft	.90	.75	
3 to 4 ft	1.20	1.00	
5 to 6 ft	2.25	1.90	
6 to 8 ft	2.90	2.40	
 hippocastanum, 60'-80' A beautiful symmetrical shade tree coof white flowers against the dark green 	leaves.	th showy	chestnut panicles
4 to 5 ft	1.90	1.50	
5 to 6 ft	2.25	1.90	
6 to 8 ft	3.00	2.50	
8 to 10 ft	4.50	3.75	
AKEBIA quinata, 15'-20'		Fiveleaf	Akebia
An excellent vine. Deep green. Purple flountil winter.	owers in 1	May. Hold:	s foliage
2 year	.55	.45	.35
ALTHEA (See HIBISCUS)			
AMORPHA canescens, 2'-3'		L	eadplant
Long spikes of blue flowers in July. An	attracti	ve dwarf p	lant.
12 to 18 in	.37		.25
18 to 24 in	.55	.45	.35
— fruticosa, 3'-4'		Ind	ligobush
Deep purple flowers in June. Spreading	habit.		
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
AMPELOPSIS quinquefolia, 30'-50'		Virginia	Creeper
(Parthenocissus q.)	illiant an	tumm solo	nin ~
Very adaptable. Rapid growing vine. Br			
1 year	.18	.15	.12
2 year	.27	.22	.18

	Unit Price	e in Quant 10-49	tities 50-249
AMPELOPSIS quinquefolia engelmanni, 30'-			Creeper
Excellent self-clinging vine. Richly color	red fall fol	iage.	
1 year	.18	.15	.12
2 year	.27	.22	.18
— tricuspidata veitchi, 40'-50'		Bos	ton Ivy
Dense, self-clinging vine. Blue-black be	rries.		
12 to 18 in., 1 year	.22	.20	.15
18 to 24 in., 2 year	.37		25
3 in. pots	.55	.45	.35
4 in. pots	.70	.55	.45
——lowi, 6'-8'	G	eranium (Creeper
Dwarf type of veitchi, with smaller, graceful and distinct.	deeply-or	ut foliage	e. Very
3 in. pot	.75	.60	.50
4 in. pot		.90	.75
AMYGDALIS nana (See PRUNUS GLANDU	LOSA)		
AMYGDALIS persica, 8' to 10'	Double	Flowering	g Peach
Colors: White, Pink and Red. Quick double flowers, in colors as above.	growing.	Very at	tractive
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
4 to 5 ft	.90	.75	
ANDROMEDA (See PIERIS)			
ARALIA pentaphyllum (See ACANTHOPAN	AX)		
ARALIA spinosa, 18'-20'		Hercu	les-club
A tropical appearing tree. White flowers	in July. S		
2 to 3 ft	.45	.37	.30
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.80	.65
5 to 6 ft	1.30	1.10	.90
6 to 8 ft	$\frac{1.30}{2.10}$	1.75	1.40
ARBORVITAE (See THUYA)			
ARONIA arbutifolia, 6'-8'		Red Cho	keberry
Bright red berries in fall.			
18 to 24 in	.55	.45	.35
2 to 3 ft	.70	.55	.45
3 to 4 ft		.70	.55
— brilliantissima, 6'-8'		Red Cho	keberry
Similar to arbutifolia but more brillian	berries.		
18 to 24 in	.55	.45	.35
2 to 3 ft		.55	.45
— melanocarpa (nigra), 8'-10'		Black Cho	keberry
White flowers in May. Black berries in	fall		
12 to 18 in		.30	.25
18 to 24 in		.37	.30
Order in multiples of 10 and			.00

Order in multiples of 10 where possible.

AZALEAS (RHODODENDRON)

AZALEA amoena (Rhodo. obtusum amoenur Evergreen. Conspicuous, purple-red flow a rich, bronze-green in winter.	n) 3'-4 ' ers. April	Amoena -May. Leav	Azalea ves turn
6 to 8 in. B&B	$egin{array}{c} .90 \\ 1.10 \\ 1.50 \\ 2.25 \\ \end{array}$.75 $.95$ 1.25 1.90	$\begin{array}{c} .60 \\ .75 \\ 1.00 \\ 1.50 \end{array}$
— arborescens, 10'-12' Fragrant, white flowers in June.		Sweet	Azalea

	white newers in June.			
12 to 15 15 to 18	in., B&B in., B&B in., B&B	$1.75 \\ 2.40 \\ 3.25$	$1.50 \\ 2.00 \\ 2.75$	
2 to 2 ½	½ ft., B&B	3.75		



Azalea hinodegiri-Nice, full, well-budded plants. The kind everyone wants.

AZALEA hinodegiri, 3'-4'

Hinodegiri Azalea

Evergreen. Larger leaves and looser growth than Amoena; flowers very bright carmine-pink; effective in masses or with Rhododendron.

6 to	8 in., I	3&B	.75	.60	.50
		B&B	1.10	.95	.75
		B&B	1.90	1.50	1.25
12 to	15 in.,	B&B	2.60	2.20	1.75

AZALEA KAEMPFERI HYBRIDS

Carmen — Rose-pink flowers. 9-12"; 12-15"; 15-18"

Cleopatra — Lilac-rose flowers. 9-12"; 12-15"; 15-18"; 18-24"

Louise — Light-rose flowers. 9-12"; 12-15"; 15-18" 18-24"

Othello -- Brick-red flowers. 9-12"; 12-15"; 15-18"; 18-24"

9	to	12	in.,	B&B	1.50	1.25	1.00
				B&B	2.60	2.20	1.75
				B&B	3.50	2.80	2.25
18	to	24	in	B&B	4.50	3.75	3.00

KURUME AZALEAS — EVERGREEN

Benigiri — Bright red flowers; compact growth. 9-12"; 12-15"; 15-18".

Christmas Cheer — Crimson.6-9"; 9-12"; 12-15".

Flame — Brilliant red flowers. 9-12"; 12-15"; 15-18"; 18-24"

Hazel Dawson — Purplish-pink, sgl. fls. Very hardy. 9-12"; 12-15"

Hinomayo — Clear pink. 9-12"; 12-15"

Pink Beauty — Single soft-pink flowers. 9-12"; 12-15"; 15-18"

Snow — Large pure white flowers. 9-12": 12-15"

Yayegiri — Salmon red flowers. 9-12"; 12-15"

Kurume	varieties	at	following prices.	
Trui umo	Valieties	au	TOTTO WITE DITLES.	

6 to 9 in., B&B	\cdot .75	.60	.50
9 to 12 in., B&B	1.10	.95	.75
12 to 15 in., B&B	$\boldsymbol{2.25}$	1.90	1.50
15 to 18 in., B&B	3.00	2.50	2.00
18 to 24 in., B&B	4.10	3.50	2.75

AZALEA ledifolia lilacina, 4'-6'

Single lilac flowers.

18	to	24 in	6.00	5.00	
2	to	2 ½ ft	7.50	6.00	

— macrantha, 2½'-3'

Red Salmon Azalea

Single salmon-pink flower. Blooms a month later than most Azaleas. Quite attractive with glossy foliage.

12 to	15 in.,	B&B	2.25	
15 to	18 in.,	B&B	2.60	

- nudiflorum, 6'-8'

Pinxterbloom

A native pink Azalea or Honeysuckle in this area. Blooms early in June. Very attractive and hardy.

18 to 24 in., B&B	3.00	2.50	-
2 to 2½ ft., B&B	4.10	3.50	44
2½ to 3 ft., B&B		4.40	

	Unit Price 1-9	in Quanti	ities 50 -24 9
	1-9	Swamp	
AZALEA viscosa, 4'-5'	ink Plac		
White flowers sometimes tinged with pi Very fragrant with glossy green foliage. tions.	Desirabl	e for mois	. 100a-
12 to 15 in., B&B	1.90	1.50	$\boldsymbol{1.25}$
15 to 18 in., B&B	2.60	2.20	1.75
18 to 24 in., B&B	3.75	3.00	2.50
2 to 2 ½ ft., B&B	4.50	3.75	
2 ½ to 3 ft., B&B	5.60	4.75	
3 to 4 ft., B&B	6.75	5.50	
yodogawa (yedoense) 3'-4'		Yodogawa	
Double, pinkish-lavender flowers, May. tional merit.	Very har	dy and of	
9 to 12 in., B&B	1.90	1.50	1.25
12 to 15 in., B&B	2.25	1.90	1.50
		Ground	selbush
BACCHARIS halimifolia, 9'-10' Attractive fluffy seed pods in fall. Excell	lent for s		
Attractive huny seed pods in 1866	.30	.25	.20
12 to 18 in	.37	.30	.25
18 to 24 in		.37	.30
	.40	.0 (•
2 to 3 ft	.45	.01	
2 to 3 ft BAYBERRY — (See MYRICA)	.40	.01	
2 to 3 ft	.40	.0 (
2 to 3 ft BAYBERRY — (See MYRICA) BEAUTYBUSH (See KOLKWITZIA) BEECH (See FAGUS)			
2 to 3 ft BAYBERRY — (See MYRICA) BEAUTYBUSH (See KOLKWITZIA) BEECH (See FAGUS))' -12 '	S	
BAYBERRY — (See MYRICA) BEAUTYBUSH (See KOLKWITZIA) BEECH (See FAGUS) BENZOIN aestivale (LINDERA benzoin), 10 Yellow flowers in spring followed by br)' -12 '	S	picebust
BAYBERRY — (See MYRICA) BEAUTYBUSH (See KOLKWITZIA) BEECH (See FAGUS) BENZOIN aestivale (LINDERA benzoin), 10 Yellow flowers in spring followed by br Spicy aromatic foliage.)'-12' right red	S	picebust
BAYBERRY — (See MYRICA) BEAUTYBUSH (See KOLKWITZIA) BEECH (See FAGUS) BENZOIN aestivale (LINDERA benzoin), 10 Yellow flowers in spring followed by br Spicy aromatic foliage. 12 to 18 in.	9'-12' right red .30	S: berries.	picebust
BAYBERRY — (See MYRICA) BEAUTYBUSH (See KOLKWITZIA) BEECH (See FAGUS) BENZOIN aestivale (LINDERA benzoin), 10 Yellow flowers in spring followed by br Spicy aromatic foliage. 12 to 18 in	0'-12' right red .30 .37	Sperries.	picebush .20
BAYBERRY — (See MYRICA) BEAUTYBUSH (See KOLKWITZIA) BEECH (See FAGUS) BENZOIN aestivale (LINDERA benzoin), 10 Yellow flowers in spring followed by br Spicy aromatic foliage. 12 to 18 in	0'-12' right red .30 .37 .55	S: berries. .25 .30	picebush .20 .25
BAYBERRY — (See MYRICA) BEAUTYBUSH (See KOLKWITZIA) BEECH (See FAGUS) BENZOIN aestivale (LINDERA benzoin), 10 Yellow flowers in spring followed by br Spicy aromatic foliage. 12 to 18 in 18 to 24 in 2 to 3 ft 3 to 4 ft	.30 .37 .55	Sperries. .25 .30 .45	picebush .20 .25 .34
BAYBERRY — (See MYRICA) BEAUTYBUSH (See KOLKWITZIA) BEECH (See FAGUS) BENZOIN aestivale (LINDERA benzoin), 10 Yellow flowers in spring followed by br Spicy aromatic foliage. 12 to 18 in 18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft	.30 .37 .55 .70	Syberries. .25 .30 .45 .55	.20 .25 .31 .41
BAYBERRY — (See MYRICA) BEAUTYBUSH (See KOLKWITZIA) BEECH (See FAGUS) BENZOIN aestivale (LINDERA benzoin), 10 Yellow flowers in spring followed by br Spicy aromatic foliage. 12 to 18 in 18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft 5 to 6 ft	.30 .37 .55 .70 .90	Sperries25 .30 .45 .55	.20 .25 .35 .45
BAYBERRY — (See MYRICA) BEAUTYBUSH (See KOLKWITZIA) BEECH (See FAGUS) BENZOIN aestivale (LINDERA benzoin), 10 Yellow flowers in spring followed by br Spicy aromatic foliage. 12 to 18 in 18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft 5 to 6 ft	.30 .37 .55 .70 .90	Seberries. .25 .30 .45 .55 .75	.20 .25 .35 .41 .60
BAYBERRY — (See MYRICA) BEAUTYBUSH (See KOLKWITZIA) BEECH (See FAGUS) BENZOIN aestivale (LINDERA benzoin), 10 Yellow flowers in spring followed by br Spicy aromatic foliage. 12 to 18 in 18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft 5 to 6 ft BERBERIS — HARDY EVERGREEN TYP	.30 .37 .55 .70 .90	Sperries25 .30 .45 .55	.20 .25 .35 .45 .60
BAYBERRY — (See MYRICA) BEAUTYBUSH (See KOLKWITZIA) BEECH (See FAGUS) BENZOIN aestivale (LINDERA benzoin), 10 Yellow flowers in spring followed by br Spicy aromatic foliage. 12 to 18 in 18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft 5 to 6 ft BERBERIS — HARDY EVERGREEN TYP — julianae, 4'-6' Medium growth. Broad spined leaves.	.30 .37 .55 .70 .90 1.10	Sterries25 .30 .45 .55 .75 .95	.20 .25 .31 .41 .60 .7
BAYBERRY — (See MYRICA) BEAUTYBUSH (See KOLKWITZIA) BEECH (See FAGUS) BENZOIN aestivale (LINDERA benzoin), 10 Yellow flowers in spring followed by br Spicy aromatic foliage. 12 to 18 in 18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft 5 to 6 ft BERBERIS — HARDY EVERGREEN TYP — julianae, 4'-6' Medium growth. Broad spined leaves.	.30 .37 .55 .70 .90 1.10	Siberries. .25 .30 .45 .55 .75 .95 ntergreen 1.25	.20 .25 .35 .45 .60 .7
BAYBERRY — (See MYRICA) BEAUTYBUSH (See KOLKWITZIA) BEECH (See FAGUS) BENZOIN aestivale (LINDERA benzoin), 10 Yellow flowers in spring followed by br Spicy aromatic foliage. 12 to 18 in 18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft 5 to 6 ft BERBERIS — HARDY EVERGREEN TYP — julianae, 4'-6' Medium growth. Broad spined leaves. 12 to 15 in., B&B	.30 .37 .55 .70 .90 1.10 ES Wi	Siberries. .25 .30 .45 .55 .75 .95 ntergreen 1.25 1.90	.20 .25 .35 .45 .60 .77
BAYBERRY — (See MYRICA) BEAUTYBUSH (See KOLKWITZIA) BEECH (See FAGUS) BENZOIN aestivale (LINDERA benzoin), 10 Yellow flowers in spring followed by br Spicy aromatic foliage. 12 to 18 in 18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft 5 to 6 ft BERBERIS — HARDY EVERGREEN TYP — julianae, 4'-6' Medium growth. Broad spined leaves. 12 to 15 in., B&B 15 to 18 in., B&B 18 to 24 in., B&B 19 to 24 in., B&B 19 to 24 in., B&B	.30 .37 .55 .70 .90 1.10 ES Wi	State of the state	.20 .25 .35 .45 .60 .75 Barberr 1.0 1.5 2.0
BAYBERRY — (See MYRICA) BEAUTYBUSH (See KOLKWITZIA) BEECH (See FAGUS) BENZOIN aestivale (LINDERA benzoin), 10 Yellow flowers in spring followed by br Spicy aromatic foliage. 12 to 18 in 18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft 5 to 6 ft BERBERIS — HARDY EVERGREEN TYP — julianae, 4'-6' Medium growth. Broad spined leaves.	.30 .37 .55 .70 .90 1.10 ES Wi	Siberries. .25 .30 .45 .55 .75 .95 ntergreen 1.25 1.90	.20 .25 .35 .45 .60 .77

	Unit Price in Quantities 1-9 10-49 50-249		
DEDDEDIG toll-conthonous Al Bi	_		Barberry
BERBERIS triacanthophora, 4'-6'	THICE	Spino	Barberry
Fast growth. Medium spined leaves.	1.50	1.25	1.00
9 to 12 in., B&B	$\begin{array}{c} \textbf{1.30} \\ \textbf{1.90} \end{array}$	$\frac{1.25}{1.50}$	$1.00 \\ 1.25$
12 to 15 in., B&B	$\frac{1.30}{2.60}$	$\frac{1.30}{2.20}$	1.75
18 to 24 in., B&B	$\frac{2.00}{3.40}$	2.80	$\frac{1.15}{2.25}$
2 to 21/ ft B&B	4.50	3.75	3.00






Berberis julianae—The best evergreen Barberry. Thrifty, strong plants.
Note contour planting.

BERBERIS — DECIDUOUS TYPES

	Unit Price in Quantities			
	1-9	10-49	50 - 249	250- up
BERBERIS thunbergi, 4'-5'				Barberry
Rugged, low hedge plant. Re	d berrie	s all winter	. Excelle	nt barrier
because of spiny growth. Rich	hly colo	red fall foli	age.	
9 to 12 in., 2 yr. trsp	.20	.15	.13	.11
12 to 15 in., 2 yr. trsp	.22	.20	.15	$.12\frac{1}{2}$
15 to 18 in., 2 yr. trsp	.30	.25	.20	$.17\frac{1}{2}$
18 to 24 in., 2 yr. trsp	.37	.30	.25	$.22\frac{1}{2}$
2 to $2\frac{\pi}{2}$ ft., 3 yr. trsp	.55	.45	.35	.30
$2 \frac{1}{2}$ to 3 ft., 3 yr. trsp	.70	.55	.45	.40

		Unit Pr	Unit Price in Quantities		
		1-9	10-49	50 - 249	
BERBERIS thunbergi seedlings -	– 2 yr. n	ot transpla	nted		
9 to 12 in	.10 $.11$ $.15$ $.18$	$.07\frac{1}{2}$ $.10$ $.12\frac{1}{2}$ $.15$	$.06\frac{1}{2} \ .07\frac{1}{2} \ .10 \ .12\frac{1}{2}$	$.05\frac{1}{2}$ $.06$ $.08\frac{1}{2}$ $.11$	





Berberis thunbergi atropurpurea.

Berberis thunbergi.

Priced	reasonably.	Princeton	quality.

— atropurpurea, 4'-5'		Red Jap. B	Barberry	
Reddish-purple type of Thun	bergi.			
12 to 15 in	.35	$.27 \frac{1}{2}$	$.22 \frac{1}{2}$.20
15 to 18 in	.42	.35	$.27 \frac{1}{2}$.25
18 to 24 in	.55	.45	.35	$.32 \frac{1}{2}$
2 to 2 ½ ft	.70	.55	.45	.40
2 ½ to 3 ft	.85	.70	.55	.50
*BETULA alba (pendula) 30'-50'	Eur	opean Whit	te Birch	
Very attractive tree with whi	te bark.			
6 to 8 ft		1.50	$\boldsymbol{1.25}$	
8 to 10 ft		$\boldsymbol{2.25}$	1.90	
10 to 12 ft		3.00	2.50	

	Unit Pric	ce in Quan 10-49	tities 50-249
BETULA laciniata (pen. laciniata), 30'-40'	Cutle	af Weepin	g Birch
This variety available spring	1950 oni	y.	
Deeply cut leaves. Silvery white bark. I	rooping t	ranches.	. 1 50
4 to 5 ft	2.25	$egin{array}{c} 1.90 \ 2.50 \end{array}$	$\begin{array}{c} 1.50 \\ 2.00 \end{array}$
5 to 6 ft	$\begin{array}{c} 3.00 \\ 4.10 \end{array}$	$\begin{array}{c} 2.50 \\ 3.50 \end{array}$	$\frac{2.00}{2.75}$
6 to 8 ft	4.10	9.00	4.10
*— lutea, 50'-70' Bark silvery or light orange. Rugged, habit.	pictures		w Birch Upright
8 to 10 ft		3.25	
10 to 12 ft		4.50	-
12 to 14 ft	$\boldsymbol{7.50}$	6.00	
* nonveilous 40/ 50/		Cand	e Birch
*— papyrifera, 40'-50' Attractive paper-like bark. Very white	when olde		e Daten
8 to 10 ft	4.50	3.75	3.00
10 to 12 ft	6.00	5.00	
12 to 14 ft	7.50		5.00
14 to 16 ft		7.50	6.00
		~	-
*— populifolia, 30'-40' Thrives in poor or sandy soil. White bar planting.	k. Desira		y Birch s
6 to 8 ft	1.90		***************************************
8 to 10 ft., 1¼ to 1½ in		$\boldsymbol{2.25}$	
10 to 12 ft., 1½ to 1¾ in		3.00	-
10 to 12 ft., 1 3/4 to 2 in	5.00	4.00	
Additional charge for multiple stems ac	cording to	o quality.	
BIGNONIA grandiflora, 25'-40' (Campsis gr.) Orange-yellow trumpet-like flowers in J			creeper
1 year	.45	.37	.30
2 year	.70	.55	.45
— — Mad. Gallen, 25'-40' (Campsis M. G.)		Trumpet	creeper
An improved type of grandiflora, Darke	er orange		
1 year	.55	.45	.35
2 year	.75	.60	,50
— radicans, 25'-40' (Campsis rad.)			
Strong growing. Scarlet-orange flowers.		Trumpe	ter ee her
1 year	.22	20	.15
2 year	.37	.30	
BIOTA — (See THUYA ORIENTALIS)	.01		.20
BIRCH (See BETULA)			
BITTERSWEET (See CELASTRUS)			
BUDDLEIA — Farquhari, 4'. Light purple. — Ile de France, 4'. Dark purple—fragrant. — Pink Charming, 4'-6'. Long panicles of pi Above varieties at following prices:		ing Butteri	fly Bush
18 to 24 in	.37	.30	25
2 to 3 ft	.45		.30
3 to 4 ft	.55	.45	.35
* EXTRA CHARGE FOR DIGGING BI	BCHEC I	D&D CEE	D&D

^{*} EXTRA CHARGE FOR DIGGING BIRCHES, B&B. SEE B&B SCHEDULE, PAGE 2.

BRIDALWREATH (See SPIRAEA PRUNIFOLIA)

BUCKTHORN (See RHAMNUS)

BUTTERFLY BUSH (See BUDDLEIA)

----{ C }----

CAMPSIS (See BIGNONIA)

CALYCANTHUS floridus, 4'-5'		Swee	et Shrub
An old garden favorite, with fragrant, d	dark reddish	-brown	flowers.
12 to 18 in	.37	.30	.25
18 to 24 in	.55	.45	.35
2 to 3 ft	.70	.55	.45
3 to 4 ft	1.00	8.0	6.5





Calycanthus floridus—Princeton quality.

CARPINUS betulus, 60'-70'	Eu	ropean Ho	rnbeam
Leaves like Caroliniana but stronger, m	ore comp	act grower	•
3 to 4 ft., B.R	3.75	3.00	$\boldsymbol{2.50}$
4 to 5 ft., B&B	7.00	$\boldsymbol{6.25}$	5.50
5 to 6 ft., B&B	13.00	11.00	9.00
6 to 8 ft., B&B	17.00	14.00	11.00

	Unit Pri	ice in Quan 10-49	ntities 50-249
CARPINUS caroliniana, 30'-40'	Aı	merican Ho	ornbeam
Bluish-green foliage. Low, bushy. Exc well in shade.	ellent fa	ll coloring	. Grows
2 to 3 ft., B.R	2.60	2.20	1.75
3 to 4 ft., B.R	3.75	3.00	2.50
4 to 5 ft., B&B	• • • •	6.75	5.75
5 to 6 ft., B&B		9.50	7.50
6 to 8 ft., B&B	$\begin{array}{c} 14.25 \\ 18.00 \end{array}$	$\begin{array}{c} 11.75 \\ 15.00 \end{array}$	$\begin{array}{c} 9.50 \\ 12.00 \end{array}$
— japonica, 30'-40'	To	apanese Ho	rnheam
Attractive, graceful tree. Foliage reddis		-	
8 to 10 ft., B&B		12.00	10.00
10 to 12 ft., B&B	19.00	15.00	12.50
CARYOPTERIS incana (mastacantha), 2'-3 Lavender-blue flowers, SeptOct. Splen			Spirea
protection. Also called Bluebeard.	ulu loi i	nassing. I	.cquii cs
15 to 18 in	.45	.37	
18 to 24 in	.60	.50	.40
CASTANEA crenata, 20'-30'		Japanese C	hestnut
Blight resistant. Large sweet nuts more habit. Early bearing.	e than 1"	wide. Upi	right in
18 to 24 in.	.85	.70	.55
2 to 3 ft	$\boldsymbol{1.05}$.90	.70
3 to 4 ft	1.30	1.10	.90
— mollissima, 40'-60'		Chinese C	
Blight resistant. Large sweet nuts. T should be planted in a well drained loc	ation.		
18 to 24 in	.85	.70	.55
2 to 3 ft	1.05	.90	.70
3 to 4 ft	1.30	1.10	.90
CELASTRUS orbiculatus, 15'-20'	Or	iental Bitt	ersweet
Rapid growing, high climbing shrubby to expose red seeds in fall.	vine. Ora	nge fruit (opening
18 to 24 in., 1 year	.37	.30	.25
2 to 3 ft., 2 year	.45	.37	.30
3 to 4 ft., 3 year	.55	.45	.35
— scandens, 15'-20'	Ame	erican Bitt	ersweet
Fruit deeper colored and larger than the		22200	
18 to 24 in., 1 year	.37	3.0	.25
2 to 3 ft., 2 year	.45	.37	.30
3 to 4 ft., 3 year	.55	.45	.35
CDI MIS aggidentalis EQ 601			- 11
CELTIS occidentalis, 50'-60'	od don 11-1		ckberry
Resembles a slow growing Elm. Compac			
6 to 8 ft	2.60	2.20	
8 to 10 ft	$\begin{array}{c} 3.75 \\ 5.25 \end{array}$	$\frac{3.00}{4.40}$	
TU 10 TA Th	0.40	4.40	

					ce in Quar	
				1-9	10-49	50-249
CEPHAI	AN	T	HUS occidentalis, 5'-6'		But	tonbush
			creamy white flowers borne in	round he	eads July-	Septem-
ber.	Go	od	foliage. Likes moisture.			
12	to	18	in	.30	.25	.20
18	to	24	in	.37	.30	.25
2	to	3	ft	.55	.45	.35
3	to	4	ft	.70	.55	.45
4	to	5	ft	.85	.70	.55
CERCID	IPI	ΗY	LLUM japonicum, 20'-30'		Kats	sura-tree
Exc	elle	ent	symmetrical tree. Beautiful s	pring and	1 autumn	colors.
4	to	6 1	t., B&B	8.00	$\boldsymbol{6.50}$	
6	to	8 1	t., B&B	10.50	9.00	
8	to	10	ft., B&B	13.50	11.25	
10	to	12	ft., B&B	19.00	15.00	





Cercis canadensis—Cornus paniculata—and Cercis chinensis. An example of quality in this 75 acre field.

CERCIS canadensis, 12'-15'		American	Redbud
Rosy pink flowers in April. Also called 18 to 24 in	Judas Tr .45 .60 1.20	.37 .50 1.00	.30 $.40$ $.80$
4 to 5 ft	$egin{array}{c} 1.90 \ 2.60 \ 3.00 \ 5.00 \end{array}$	$egin{array}{c} 1.50 \\ 2.20 \\ 2.50 \\ 4.00 \\ \end{array}$	$1.25 \\ 1.75 \\$

		ce in Qua	
	1-9	10-49	50-249
CERCIS chinensis, 10'-12'		Chinese	Redbud
Deeper pink than canadensis. Compact a			
18 to 24 in		.75	
2 to 3 ft		1.10	
3 to 4 ft	1.90	1.50	1.25
CHAENOMELES lagenaria (See CYDONIA)			
CHAMAECYPARIS — THE RE	TINOSPO	ORAS	
CHAMAECYPARIS obtusa gracilis, 10'-12' Narrow, irregular pyramid. Billowy, of growing.	lark gray		Cypress ge. Slow
12 to 15 in., B&B	1.50	1.25	1.00
15 to 18 in., B&B	2.25	1.90	1.50
18 to 24 in., B&B	3.00	$\boldsymbol{2.50}$	2.00
— pisifera, 25'-35'		ıwara Reti	inospora
Fast growing evergreen. Loosely pyram			
15 to 18 in., B&B		1.25	
18 to 24 in., B&B		1.90	
2 to 2½ ft., B&B	3.00	$\boldsymbol{2.50}$	2.00





Good popular Evergreens at reasonable prices.

— — aurea, 25'-35'	Golden Sa	wara Reti	nospora
Same growth as pisifera. Foliage bright	yellow.		
15 to 18 in., B&B	1.50	1.25	1.00
18 to 24 in., B&B	$\boldsymbol{2.25}$	1.90	1.50
2 to 2½ ft., B&B	3.00	2.50	2.00
2 ½ to 3 ft., B&B	3.75	3.00	2.50

	Unit Pr 1-9	ice in Qua 10-49	ntities 50- 24 9
CHAMAECYPARIS filifera, 15'-20'	Т	hread Ret	inospora
Long, stringy, drooping, rich green fol	iage. Ver	y hardy.	
12 to 15 in., B&B	1.10	.95	.75
15 to 18 in., B&B	1.50	$\boldsymbol{1.25}$	1.00
18 to 24 in., B&B	$\boldsymbol{2.25}$	1.90	1.50
— plumosa, 25'-35'	Plu	me Retino	spora
Evergreen. Dense, fine texture. Shear	rs well. B	right gree:	n.
15 to 18 in., B&B	1.50	$\boldsymbol{1.25}$	1.00
18 to 24 in., 3&B	$\boldsymbol{2.25}$		$\boldsymbol{1.50}$
2 to 2 ½ ft., B&B	3.00	2.50	
$2\frac{1}{2}$ to 3 ft., B&B	3.75		
3 to 4 ft., B&B	5.25	4.40	3.50
— — aurea, 20'-25'	Coldonnly	ıme Retino	nanova
Foliage golden yellow. Similar in ha			ospora
		1.25	1.00
12 to 15 in., B&B	$\begin{matrix} 1.50 \\ 1.90 \end{matrix}$	$\begin{array}{c} 1.25 \\ 1.50 \end{array}$	$\begin{array}{c} 1.00 \\ 1.25 \end{array}$
15 to 18 in., B&B	$\begin{array}{c} 1.30 \\ 2.60 \end{array}$	$\begin{array}{c} \textbf{1.30} \\ \textbf{2.20} \end{array}$	1.75 1.75
2 to 2 ½ ft., B&B	$\begin{array}{c} 2.00 \\ 3.20 \end{array}$	2.70	2.15
- squarrosa nana, 2½'-3' Foliage blue gray, feathery and dense.	Very com		V -
9 to 12 in	1.50	1.25	1.0
- — veitchi, 25'-30' Foliage blue gray, feathery and dense.		Moss Ref	tinospor
15 to 18 in., B&B	1.50	1.25	1.0
CHERRY, FLOWERING (See PRUNUS)			
HESTNUT. (See CASTANEA)			
CHIONANTHUS virginicus, 15'-18'		White F	ringetre
Abundant tassel-like white flowers May			
6 to 8 ft		2.50	2.0
8 to 10 ft	4.50	3.75	3.0
HOKEBERRY — (See ARONIA)			
LEMATIS paniculata, 20'-25'	Swee	et Autumn	Clemat
White fragrant flowers. September. W	ooly seed	pods. An	exceller
vine.			
. year	.30	.25	. 2
2 year	.45	.37	.3
3 year	.60	.50	.4
LETHRA alnifolia, 4'-5'		Sum	merswe
Spikes of richly fragrant flowers. Jul	y-Septem		
shady places.	0.7	0.0	
12 to 18 in			. 2
18 to 24 in	.55	.45 $.55$	
2 to 2½ ft	.70	.00	. 4

		rice in Qu	
	1-9	10-49	50-249
CORNUS alba (sibirica), 8'-10'	Red	Branched	Dogwood
Bright red bark. Porcelain blue fruits. winter effects. Very adaptable.	Quick gr	rower. Exc	cellent for
12 to 18 in	.25	.20	
18 to 24 in	.30	.25	.20
2 to 3 ft	.45	.37	.30
3 to 4 ft	.60	.50	
4 to 5 ft	.75	.60	.50
— alternifolia, 15'-18'		Blue	Dogwood
Horizontal branches. Blue-black fruits.			
18 to 24 in	.45	.37	
2 to 3 ft	.60	.50	.40
— amomum (sericea), 10'		Silky	Dogwood
Pale blue fruits. Young twigs purple. P	refers m	oist locati	on.
18 to 24 in.	.37	.30	.25
2 to 3 ft	.55	.45	.35
3 to 4 ft	.70	.55	.45
4 to 5 ft	.85	.70	.55
— elegantissima variegata, 6'-8'		lverblotch	Dogwood
Leaves are edged with creamy white. V	•		
15 to 18 in	.60	.50	.40
— florida, 15'-25'	\mathbf{W} hit ϵ	eflowering	Dogwood
White flowers. A most popular spring berries.	floweri	ng small	tree. Red
2 to 3 ft., B.R.	1.10	.95	.75
3 to 4 ft., B.R.	1.90	1.50	1.25
4 to 5 ft., B.R.	3.00	2.50	2.00
5 to 6 ft., B&B		6.00	5.00
6 to 8 ft.,B&B 8 to 10 ft., B&B	10.50	9.00	7.00
10 to 12 ft., B&B	$\begin{array}{c} 15.00 \\ 19.00 \end{array}$	$\begin{array}{c} 12.50 \\ 15.00 \end{array}$	10.00
Larger sizes—prices on application.	10.00	10.00	
	-		
— rubra, 15'-20' Beautiful bright red flowers in spring.		lflowering king.	Dogwood
18 to 24 in., B.R.		1.50	1.25
2 to 3 ft., B.R.		1.90	1.50
3 to 4 ft., B.R	3.75	3.00	2.50
— paniculata (racemosa), 10'-12'			Dogwood
Small white flowers. May. White fruits	on red st	ems.	
18 to 24 in	.37	.30	.25
2 to 3 ft		.45	.35
3 to 4 ft	.70	.55	.45
		.75	.60
— sanguinea, 8'-10'		Bloodtwig	
Dark red branches. Good foliage. Does			
18 to 24 in		.25	.20
2 to 3 ft		.37	
4 to 5 ft	$\begin{array}{c} .60 \\ .75 \end{array}$.50	
* *************************************	. 10	00.	.50

See last five pages for helpful information.

	Unit Pri 1-9	ce in Quan 10-49	tities 50- 24 9
CORNUS stolonifera, 7'-8'	R	ed-Osier D	ogwood
Spreading. Dark red bark. White fruits tions.	. Does w	ell in dan	ip loca-
18 to 24 in	.30	.25	.20
2 to 3 ft	.45	.37	.30
3 to 4 ft	.60	.50	.40
— lutea (flaviramea), 6'-7'		lowtwig D	ogwood
Bright yellow bark. Excellent for winter			
18 to 24 in	.30	.25	.20
2 to 3 ft	.45	.37	.30
5 to 4 1t	.60	.50	.40
CORYLUS americana, 8'-9'		merican H	
Delicious nuts. Attractive and useful in n hardy.	naturalist	ic planting	s. Very
3 to 4 ft	.90	.75	.60
4 to 5 ft	1.20	1.00	.80
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft COTONEASTER — Established in pots.	1.90	1.50	
— horizontalis (davidiana), 2'-3'. Rock Coton	aggtor 6.	.9". 9_19".	19_15#
Spreading. Foliage boxlike. Red berries.			
— microphylla, 2'-3'. Rockspray. 6-9"; 9-12" Evergreen. Small leaves. Dark green. Mor			ontalis.
Above varieties at following prices:			
6 to 9 in., in pots	1.10	.95	.75
9 to 12 in., in pots	$\begin{matrix} \textbf{1.50} \\ \textbf{1.90} \end{matrix}$	$\begin{array}{c} 1.25 \\ 1.50 \end{array}$	$\begin{array}{c} 1.00 \\ 1.25 \end{array}$
- francheti; evergreen. Upright. Orange ber	ies. 9-12	'; 12-15"	
— perpusilla. Smaller leaves and larger frui 9-12"; 12-15"	t than H	orizontalis	s. 6-9";
- rotundifolia; evergreen. Round leaves. Pro	strate re	d berries.	12-15'
- salicifolia; partly evergreen. Spreading. R	ed berrie	s. 6-9"	
- simonsi; almost evergreen. Strong grower Above varieties at following prices:	. Loose	habit. 12-1	15"
6 to 9 in., in pots	.75	.60	.50
9 to 12 in., in pots	1.10	.95	.75
12 to 15 in., in pots	1.50	1.25	1.00
CRABAPPLE (See MALUS)			
CRATAEGUS — HAWT	HORN		
CRATAEGUS arnoldiana, 20'		Arnold Ha	
An open-headed tree having white flower son fruit in August.	rs in May	and brigh	it crim-
8 to 10 ft	9.00	7.50	6.00
10 to 12 ft	11.00	9.50	7.50
— coccinea (intricata), 15'-20'	7	Chicket Ha	wthorn
Shrubby habit. Oval leaves. Dull red frui	ts in fall	•	
6 to 8 ft	6.75	5.50	4.50
8 to 10 ft	9.00	7.50	6.00

	Unit Pi	rice in Quar 10-49	ntities 50-249
CRATAEGUS coccinoides, 20'		Kansas H	awthorn
Attractive rugged foliage. Red fruits.			
6 to 8 ft	6.75	5.50	
8 to 10 ft	9.00	7.50	-
cordata (phaenopyrum) 12'-15'	Wa	shington H	awthorn
Colorful in fall. Makes an excellent hed			
3 to 4 ft., B.R.	3.00	2.50	2.00
4 to 5 ft. B.R.	3.75	3.00	2.50
5 to 6 ft., B&B	7.00	6.25	5.50
6 to 8 ft., B&B	10.25	9.00	8.00
8 to 10 ft., B&B	14.00	12.50	11.00
10 to 12 ft., B&B	17.75	16.25	14.25
12 to 14 ft., B&B	22.75	20.25	18.25
14 to 16 ft., B&B	29.50	26.50	
— mollis, 15'		Downy H	awthorn
Strong grower. Large leaves. Red fruits	3.	_	
5 to 6 ft	4.50	3.75	3.00
6 to 8 ft	6.75	5.50	4.50
8 to 10 ft	9.00	7.50	6.00
10 to 12 ft	11.00	9.00	7.50
12 to 14 ft	13.00	11.00	9.00
— oxycantha, 12'-15'		Englis	h Thorn
Single white flowers.			
5 to 6 ft	6.00	5.00	-
6 to 8 ft	7.50	6.00	
— — pauli, 12'-15'	Paul'	's Scarlet Ha	awthorn
This variety available Spring	; 1950 o	nly.	
Double scarlet flowers.			
4 to 5 ft., branched	4.50	3.75	3.00
— pyracantha lalandi (See PYRACANTHA)			
CYDONIA japonica (chaenomeles lagenaria)	4'-5'	Flowering	r Onince
Scarlet flowers, April. May. Spicy fruits		_	, Quinco
12 to 18 in	.30	.25	. 90
18 to 24 in.	.45		.20
2 to 3 ft	.60	$\begin{array}{c} .37 \\ .50 \end{array}$	$\begin{array}{c} .30 \\ .40 \end{array}$
— HYBRIDS, 4'-5'	0.4 0. 0		
Boule de feu, double red. 12-18"; 18-	-		•
Cardinalis, red flowering. 12-18"; 18			
Crimson Beauty, bright crimson. 18-2		'; 3-4'	
Nivalis, large white. 12-18"; 18-24";	2-3'		
Superba atrosanguinea, redflowering.	12-18";	18-24"; 2-	3′
40 1 40 1	.60	.50	.40
12 to 18 in			1 A U
12 to 18 in			
12 to 18 in. 18 to 24 in. 2 to 3 ft.	.90		.60

CYPRESS (See CHAMAECYPARIS)

Order in multiples of 10 where possible.

----{ D }----





Irrigation—An adequate water supply is available at all times. We can irrigate several hundred acres when necessary.

— lemoinei, 4'-5'	Lemoine Deutzia		
Large flowering, white. June.			
12 to 18 in	.45	.37	.30
— magnifica, 9'-10'	Giant I	Flowered D	eutzia
Double white. Rugged growth.			
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
4 to 5 ft	.90	.75	.60
— scabra candidissima, 9'-11'	S	snowflake I)eutzia
Graceful habit. Double white, June.			
18 to 24 in	.37	.30	.25
2 to 3 ft	.55	.45	.35
3 to 4 ft	.70	.55	.45

41	FRINCEION NURSE	ILIED		
		Unit Pric	e in Quant 10-49	tities 50-24 9
DEUTZIA	scab. crenata fl. pl., 6'-8'	Dot	ıble Pink I	Deutzia
Doul	ole pink, June.			
	to 24 in	.37	.30	.25
	to 3 ft	.55	.45	.35
	to 4 ft	.70	.55	.45
4	to 5 ft	.85	.70	.55
— — Pri	de of Rochester, 9'-10'	Large	Flowered I	Deutzia
Pink	changing to white. June. Fast grov	wing.		
18	to 24 in	.50	.40	.30
2	to 3 ft	.60	.50	.40
	to 4 ft	.75	.60	.50
4	to 5 ft	$\boldsymbol{1.05}$.90	.70
DIERVII	LA sessilifolia (lutea), 4'-5'	Southern E	Bush Honey	suckle
	ow flowers June-July. Vigorous grow ellent for contrast.	ver; purpli	sh-bronze f	oliage.
18	to 24 in	.50	.40	.30
	to 3 ft	.60	.50	.40
3	to 4 ft	.75	.60	
DOGWOO	OD (See CORNUS)			
	E			
ELAEAG	NUS angustifolia, 15'-18'		Russia	n Olive
Silve	ery leaves and branchlets. Orange litions.	berries. St	ands unfav	vorable
	to 3 ft	.55	.45	.35
	to 4 ft.	.70	.55	.45
	to 5 ftto 6 ft	$\begin{array}{c} 1.00 \\ 1.30 \end{array}$	$\begin{array}{c} .80 \\ 1.10 \end{array}$	$\begin{array}{c} .65 \\ .90 \end{array}$
	es (multiflora), 6'-8'		Cherry Ela	
Silve	ery leaves. Yellow flowers, fragran ning in July.		•	_
18	to 24 in	.70	.55	.45
2	to 3 ft	1.00	80	.65
— umbel	lata, 8'-10'	A	Autumn El	eagnus
Pow	dery green leaves. Clusters of ambe	er berries.	Very hardy	7.
	to 24 in	.45	.37	.30
	to 3 ft.	.60	.50	.40
	to 4 ft.		.70	.55
4	to 5 ft		.95	.75
ELDER	(See SAMBUCUS)			
ELM (Se	e ULMUS)			
Erec	THUS campanulatas, 20'-25' et shrub of great ornamental value. broad leaved exergreens. Prefers pe	Wonderfu	Vein Enki	
6	to 8 ft., B&B	11.00	9.50	
	IUS alatus, 9'-10' corky bark. Bright crimson autum		Vinged Euc	onymus
	to 24 in.	.75	.60	.50
	to 3 ft.		.95	.50
_		4.10		.10

	Unit Pri	ice in Quan 10-49	tities 50-249
EUONYMUS alatus compactus, 4'-5'	Dwarf V	Winged Eu	onymus
Dwarf form of alatus. Compact. Excelle coloring.	ent for he	edge. Brilli	ant fall
12 to 15 in. 15 to 18 in. 18 to 24 in. 2 to 3 ft.	$\begin{array}{c} .70 \\ .90 \\ 1.10 \\ 1.50 \end{array}$	$\begin{array}{c} .55 \\ .75 \\ .95 \\ 1.25 \end{array}$	$\begin{array}{c} .45 \\ .60 \\ .75 \\ 1.00 \end{array}$
— radicans, 3'-4' Evergreen. Self clinging vine. Good fo useful for under planting among everge	r coverin		creeper ls; also
6 to 9 in., 1 year 9 to 12 in., 2 year		$\begin{matrix} .30 \\ .45 \end{matrix}$	$.25 \\ .35$
—— colorata, 6'-12' Evergreen. Foliage narrow, long and tin winter color.		ved Winter purple. E	
9 to 12 in., 2 year	$\begin{array}{c} .37 \\ .55 \end{array}$	$\begin{matrix} .30 \\ .45 \end{matrix}$	$\begin{matrix} .25 \\ .35 \end{matrix}$
— vegetus, 3'-4' Evergreen. Bushy. Leaves round, dull gramong evergreens. Makes good formal	een. Scar hedge or	border.	xcellent
6 to 9 in., 2 year, pots 9 to 12 in., 2 year, pots	$\begin{array}{c} .55 \\ .75 \end{array}$	$\begin{matrix} \textbf{.45} \\ \textbf{.60} \end{matrix}$	$\begin{array}{c} .35 \\ .50 \end{array}$
Dazzling, white fllowers, May. Is impro- 18 to 24 in	.37 .55 .70	ouning30 .45 .55	.25 .35 .45
FAGUS sylvatica, 75'-100' Slow growing. Makes large handsome tre	ee.	European	n Beech
6 to 8 ft., B&B	$10.50 \\ 15.00 \\ 22.50 \\ 30.00$	$9.00 \\ 12.50 \\ 19.00 \\ 25.00$	
— asplenifolia, 20'-30'		Fernlea	
Useful as specimen tree. Finely cut leave	es. Gracei 5.00	ful slow gro	owing.
2 to 3 ft., B&B	6.00	5.00	
4 to 5 ft., B&B	$\begin{smallmatrix}9.00\\11.00\end{smallmatrix}$	$\begin{array}{c} 7.50 \\ 9.00 \end{array}$	
—— fastigiata, 25'	Pyra	amidal Eur	. Beech
Pyramid type of sylvatica.	5.00	4.00	
3 to 4 ft., B&B	7.50	6.00	
5 to 6 ft., B&B	10.00	8.00	
6 to 7 ft., B&B	12.70	10.60	
— Riversi, 40'-60'		's Europea	
Deep purple leaves. Compact grower. Bes		the purple 5.00	e beech.
2 to 3 ft., B&B	$\begin{array}{c} \textbf{6.00} \\ \textbf{7.50} \end{array}$	6.00	

FIRETHORN (See PYRACANTHA)

FLOWERING CHERRIES (See PRUNUS)

FLOWERING CRAB (See MALUS)

FLOWERING QUINCE (See CYDONIA)

FORSYTHIA intermedia, 6'-8'

Border Forsythia

Bright yellow flowers in April before leaves unfold. Profuse and beautiful.

2 to 3 ft	.55	.45	.35
3 to 4 ft	.70	.55	.45
4 to 5 ft	.90	.75	.60





Two year Flowering Shrubs-You can't find heavier, better-developed shrubs.

— spectabilis, 6'-8'	Show	y Border	Forsythia
Most profuse of all. Rich golden yellow.			
18 to 24 in	.37	.30	.25
2 to 3 ft	.55	.45	.35
3 to 4 ft	.70	.55	.45
4 to 5 ft	.90	.75	.60
— suspensa, 4'-6'		Weeping	Forsythia
Bright yellow. Drooping. Excellent on ban	ks.		
12 to 18 in.	.30	.25	.20
18 to 24 in	.37	.30	.25
2 to 3 ft	.55	.45	.35

	Unit P 1-9	rice in Qua 10-49	ntities 50-249
FORSYTHIA suspensa, fortunei, 7'-8'		Fortune l	Forsythia
Bright yellow. Strong grower. Arching.			•
12 to 18 in	.30	.25	.20
18 to 24 in	.37	.30	.25
2 to 3 ft	.55	.45	.35
— viridissima, 7'-8'	C	reenstem 1	Torguthia
Clear bright yellow. Leathery, dark gree blooming.			•
18 to 24 in	.37	.30	.25
2 to 3 ft	.55	.45	.35
FRAXINUS americana, 70'-80'		77	71-24- 4-1-
· · · · · · · · · · · · · · · · · · ·	hama !m		hite Ash
Medium grower. Good fall coloring. At 1			
6 to 8 ft	$\frac{1.50}{9.95}$	$\frac{1.25}{1.00}$	1.00
8 to 10 ft 8 to 10 ft., 1 1/4 to 1 1/2 in	$\begin{array}{c} 2.25 \\ 3.00 \end{array}$	$\frac{1.90}{9.50}$	1.50
10 to 12 ft., 1 ½ to 1 ½ in.	3.75	$\begin{smallmatrix}2.50\\3.00\end{smallmatrix}$	$\begin{array}{c} 2.00 \\ 2.50 \end{array}$
11 to 13 ft., 1 ½ to 1 ¼ m	5.25	$\frac{3.00}{4.40}$	$\frac{2.50}{3.50}$
12 to 14 ft., 2 to 2 ½ in	6.75	5.50	4.50
			2.00
GENISTA tinctoria, 3'		Wo	adwaxen
Slender, bright green branches. Bright	vellow p	ea-shaped	flowers.
18 to 24 in	.45	$.\overline{37}$.30
2 to 3 ft	.60	.50	.40
8 to 10 ft 8 to 10 ft., 1 ¼ to 1 ½ in 10 to 12 ft., 1 ½ to 1 ¾ in 10 to 12 ft., 1 ¾ to 2 in		y desirable. 2.50 3.00	
—— fastigiata, 50'		Pyramida	1 Ginkgo
A narow columnar form of Ginkgo be grafted from selected mature specimens male trees and will not bear fruit.		These trees	s are all
6 to 8 ft	4.50	3.75	3.00
8 to 10 ft	6.75	5.50	4.50
10 to 12 ft	9.00	7.50	6.00
11 to 13 ft., 1½ to 1¾ in	11.00	9.50	7.50
GLEDITSIA triacanthus, 60'-70' Thorny tree. White fragrant flowers. locations. Does not shade out lawns. A growth characteristics and clean bright	May. G A gracef ht foliag	ul tree of ; e.	velly good
	2.25	$\frac{1.90}{2.50}$	$\frac{1.50}{2.00}$
	$\frac{3.00}{2.75}$	$\frac{2.50}{0.00}$	$\frac{2.00}{2.50}$
72	3.75	3.00	$\frac{2.50}{2.50}$
	5.25 6.75		$\frac{3.50}{4.50}$
	9.00	$\begin{matrix}5.50\\7.50\end{matrix}$	$\begin{array}{c} 4.50 \\ 6.00 \end{array}$
12 to 14 ft., 2 to 2 72 ff	<i>v</i> .00	1.00	0.00

	Unit Pr 1-9	ice in Quai 10-49	ntities 50-249
GLEDITSIA triacanthus inermis, 60'-70'	Tho	rnless Hon	eylocust
Similar to triacanthos. Almost thornless.			
8 to 10 ft	3.75	3.00	2.50
8 to 10 ft., 1 1/4 to 1 1/2 in	4.90	4.05	3.25
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	6.00	5.00	4.00
10 to 12 ft., 1 ¾ to 2 in	7.50	6.00	5.00
GYMNOCLADUS dioicus, 40'-50'	K	entucky Co	ffeetree
Light blue green foliage. Slow growing.	Picture	sque outlir	ie.
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.50	3.75	
8 to 10 ft	6.00	5.00	***************************************
			
HALESIA tetraptera (carolina), 12'-15'		Great Si	lverhell
White bell-shaped flowers in May. Pr	ofusely		
	P =	0.0	
2 to 3 ft	.75	.60	
3 to 4 ft. 4 to 5 ft.	$\begin{matrix} 1.05 \\ 1.30 \end{matrix}$	$\begin{array}{c} .90 \\ 1.10 \end{array}$	
5 to 6 ft.	$1.30 \\ 1.90$	1.10 1.50	
6 to 8 ft.	$\frac{1.90}{2.40}$	$\frac{1.30}{2.00}$	
0 00 0 10	2.40	2.00	
HAMAMELIS virginiana, 10'-12'	Com	mon Witch	h Hazel
Yellow ribbon-like flowers in late fall. G tions.	lood in	moist, shad	ly loca-
18 to 24 in	.37	.30	.25
2 to 3 ft	.55	.45	.35
3 to 4 ft	.70	.55	.45
4 to 5 ft	.90	.75	.60
HAWTHORN (See CRATAEGUS)			
HEDERA helix (hardy strain), 20'-50'		Engl	lish Ivy
Evergreen. Good ground cover for shady cover. Clinging.	y locatio		•
12 to 15 in., 2½ in. pots	.22	.18	.15
15 to 18 in., 3 in. pots	.30	.25	.20
— — baltica, 20'-50'	T	Hardy Engl	ich Twy
Hardy strain of Hedera helix		laidy Engi	Ton Ivy
3 in. pots	.50	.40	
HEMLOCK (See TSUGA)			
HIBISCUS syriacus (Althea), 10'-12'		Shrub	-althea
Rather formal in outline, flowering in Aucalled Rose of Sharon.	gust and	• *	
Andone Jouble was wielet			

Boule de feu, double bright red.

Comte de Haimont, double pink, white mottled.

Jeanne d'Arc, semi-double white.

Lucy, double rose red.

Paeoniflorus, double pink.

Ardens, double rose violet.

Pulcherrimus, double pink, crimson center.

Unit	Price	in	Qua	ntitie	S
1-9		10-	49	50-2	249

HIBISCUS syriacus (cont.)

Purpureus semiplenus, semi-double purple.

Totus alba, single white.

18 to 24 in	.37	.30	.25
2 to 3 ft	.55	.45	.35
3 to 4 ft	.70	.55	.45



Hibiscus, Cydonia, and Symphoricarpos chenaulti—Note cover crop in foreground. Our crop rotation program assures sufficient humus to mature plant material properly.

The following selected varieties of Hibiscus have exceptionally good color and are slower growers.

Coelestis, single blue. 12-18"; 18-24"; 2-3'.

Rubis, single red. 12-18", 18-24", 2-3', 3-4'.

W. R. Smith, single white, large flwg. 12-18"; 18-24".

12 to 18 in	.37	.30	.25
18 to 24 in	.45	.37	.30
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50

HONEYLOCUST (See GLEDITSIA)

HONEYSUCKLE (See LONICERA)

HOLLY (See ILEX)

	Unit Price in Quantities		
	1-9	10-49	50-249
HYDRANGEA arborescens grandiflora alba, 4 (sterilis)	l'-5'	Snowhill H	ydrangea
Large double white flower panicles in A	ugust.	Rich green	foliage.
12 to 18 in	.45	.37	.30
18 to 24 in	.60	.50	.40
2 to 3 ft	.75	.60	.50
3 to 4 ft	.90	.75	.60
— Otaksa, 2'-3' Blue flowers throughout summer. Shou for best color. Does better with winter		planted in	ydrangea acid soil
6 to 9 in., 1 yr. field grown heavy strong roots	.45		.30
heavy strong roots	.60	.50	.40
— paniculata (TYPE), 8'-9' Bears long loose panicles of white flower	s. Aug	Panicle H	ydrangea
18 to 24 in	.60	.50	.40
2 to 3 ft	.75	.60	.50



Hydrangea P. G.—Our selected type.

— grandinora, 8'9'	P	'eegee Hyd	rangea
Very showy. Large closely packed pa	anicles of	white flow	vers in
August. Turns pink later.			
12 to 18 in	.45	.37	.30
18 to 24 in		.50	.40
2 to 3 ft	.75	.60	.50
3 to 4 ft	.90	.75	.60

	Unit Price in Quantities			
	1-9	10-49	50 - 249	
HYDRANGEA quercifolia, 3'-4' Oak Leaf Hydrangea				
Leaves shaped like an oak leaf. Beautiful autumn coloring. Suc-				
ceeds in shade. Very desirable.				
18 to 24 in	1.20	1.00		
2 to 3 ft	1.50	1.25	-	
I			•	
ILEX crenata, 8'-10'	Japanese Holly			
Evergreen. Box-like leaves. Deep green.	Black be	rries.		
12 to 15 in., B&B	1.90	1.50	$\boldsymbol{1.25}$	
15 to 18 in., B&B	2.60	2.20	1.75	
18 to 24 in., B&B	3.40	2.75	$\boldsymbol{2.25}$	
2 to 2½ ft., B&B	5.25	4.40	3.50	





 Ilex convexa—Full, compact, rugged plants. Very uniform. Princeton quality.

 — convexa (bullata), 4'-5'
 Convex leaved Holly

 Evergreen. Slow growing. Shiny convex foliage.
 9 to 12 in., B&B
 1.50
 1.25
 1.00

 12 to 15 in., B&B
 2.60
 2.20
 1.75

 15 to 18 in., B&B
 3.40
 2.75
 2.25

	Unit Price in Quantities 1-9 10-49 50-249		
ILEX crenata microphylla, 6'-8'	Littel	eaf Japanes	se Holly
Evergreen. Small Leaves. Quite hardy.			
12 to 15 in., B&B	1.90	1.50	$\boldsymbol{1.25}$
15 to 18 in., B&B	3.00	2.50	2.00
18 to 24 in., B&B	3.75	3.00	2.50
2 to 2 ½ ft., B&B	5.00	4.00	3.25
— glabra, 5'-6'	11 1 1		nkberry
Evergreen. Shiny dark green leaves. Purries. Good in shade or sun.	rplish in	winter. Bia	ick ber-
15 to 18 in., B&B	2.25	1.90	1.50
18 to 24 in., B&B	3.00	2.50	2.00
2 to 2½ ft., B&B	4.50	3.75	3.00
2 ½ to 3 ft., B&B	6.00	5.00	4.00
3 to 4 ft., B&B	7.50	6.00	5.00
— — compacta, 3'-4'		Dwarf I	nkberry
Compact type of Ilex glabra. Same foliage characteristics.	ge and fr	uiting	
9 to 12 in., B&B	1.50	1.25	1.00
12 to 15 in., B&B	$\boldsymbol{2.25}$	1.90	1.50
— opaca, 45'-50'		America	n Holly
Evergreen. Prefers moist location in par	rtial shad	le.	
2 to 3 ft., B&B	3.75	3.00	2.50
3 to 4 ft., B&B	6.00	5.00	4.00
4 to 5 ft., B&B	7.50		5.00
5 to 6 ft., B&B	10.00 addition	8.00 al.	6.50
— serrata (sieboldi), 8'-14'		Finetoot	h Holly
Small finely toothed leaves. Red berries.			•
2 to 3 ft	.90	.75	.60
3 to 4 ft	1.10	.95	.75
4 to 5 ft	1.50	1.25	1.00
verticillata (prinos), 6'-8'		Wint	erberry
Bright red berries to medium in winter.	Not ever		•
18 to 24 in	.75	.60	.50
2 to 3 ft	.90	.75	.60
3 to 4 ft	1.10	.95	.75
IVY (See AMPELOPSIS or HEDERA)			
——————————————————————————————————————			
JAPANESE MAPLE (See ACER palmatum)			
JAPANESE QUINCE (See CYDONIA)			
JASMINUM stephanense, 8'		Stephan 3	Tasmine
Large fragrant flowers of soft pale pink	. Tender	_	
18 to 24 in		.50	.40
JUDAS TREE (See CERCIS)			

Order in multiples of 10 where possible.

	Unit Pr. 1-9	ice in Quan 10-49	titles 50- 249
JUNIPERUS chinensis, 15'-20'		Chinese	Juniper
Formal columnar. Gray green foliage.		<u> </u>	P
18 to 24 in., B&B	2.60	2.20	1.75
2 to 3 ft. B&B	3.40	2.80	2.25
3 to 4 ft. B&B	$\boldsymbol{5.25}$	4.40	$\boldsymbol{3.50}$
— — columnaris (pyramidalis), 15'-20' Blue Fast growing. Narrow columnar. Gray g			Juniper
2 to 3 ft. B&B	3.40	2.80	2.25
3 to 4 ft. B&B	6.00	5.00	$\frac{1}{4}.00$
4 to 5 ft., B&B	7.50	6.00	5.00
—— viridis, 15'-20' Green Light green form of the above, slightly		ar Chinese n growth.	Juniper
7 to 8 ft., B&B	15.00	12.25	10.00
8 to 10 ft., B&B	18.00	$\boldsymbol{15.00}$	12.50
— — japonica, 6'-8'		Japanese	Juniper
Low grower. Spreading. Dark green. Gro	ows slow	-	•
12 to 15 in., B&B	2.25	1.90	1.50
2 ½ to 3 ft., B&B	4.50	3.75	3.00
— pfitzeriana, 5'-6'		Pfitzer	Juniper
Gray green feathery appearing. Broad b	uichy hal		_
12 to 15 in., B&B	1.90	1.50	1.25
15 to 18 in., B&B	$\frac{1.30}{2.85}$	2.35	$1.20 \\ 1.90$
18 to 24 in., B&B	4.10	3.50	
— communis canadensis, 5'-6'		Canada	Tuniner
Low vase shape. Leaves dark green above	ze hluish		-
	1.90	1.50	1.25
15 to 18 in., B&B	$\frac{1.30}{2.60}$	2.20	1.75
2 to 2½ ft., B&B	$\frac{2.75}{3.75}$	3.00	2.50
— — hibernica, 20'-30'		Trish	Juniper
Narrow pyramid. Gray green foliage.		2-20-2	o unipo-
12 to 18 in., B&B	1.10	.95	.75
18 to 24 in., B&B	1.90	1.50	1.25
2 to 3 ft., B&B	2.60	2.20	1.75
——— suecica, 20'-30'		Swedish	Juniper
Quick growing. Narrow, upright form.	1.10	.95	.75
15 to 18 in., B&B	$1.10 \\ 1.90$	1.50	
2 to 2½ ft., B&B	2.60	2.20	
— excelsa stricta, 10'-12'	_	oiny Greek	Juniper
Broad based pyramid. Gray green foliag			
9 to 12 in., B&B	1.30	$\frac{1.10}{1.50}$.90
12 to 15 in., B&B		$\substack{1.50\\2.00}$	$\begin{array}{c} 1.15 \\ 1.65 \end{array}$
15 to 18 in., B&B 2 to 2½ ft., B&B	$\begin{array}{c} 2.50 \\ 3.75 \end{array}$	3.00	2.50
— horizontalis (sabina prostrata), 1'-1½'	Creer	oing Savin	Juniper
Prostrate. Good ground cover or for roc	k work.		
2 to 2½ ft. B&B	3.75	3.00	2.50

	Unit P	rice in Quar 10-49	tities 50-249
JUNIPERUS horiz. depressa plumosa, 2'-3'	Plumed	Spreading	Juniper
Spreading type. Hardy. Purplish in wint	er. Attra	ictive.	
12 to 15 in., B&B	1.90	1.50	
15 to 18 in., B&B	2.60	2.20	•
18 to 24 in., B&B	3.75	3.00	
2 to 2 ½ ft., B&B	5.00	4.00	da and a significance of the significance of t
— squamata meyeri, 3'-4'		Meyer	Juniper
Deep blue green. Dwarf. Desirable.			
12 to 15 in., B&B	1.90	1.50	1.25
15 to 18 in., B&B	2.60	2.20	1.75
18 to 24 in., B&B	3.40	2.80	2.25
2 to 2½ ft., B&B	4.50	3.75	3.00
2 ½ to 3 ft., B&B	$\boldsymbol{5.60}$	4.75	3.75
3 to 4 ft., B&B	6.75	5.50	4.50
4 to 5 ft., B&B	9.00	7.50	6.00
— virginiana, 35'-50'		R	edcedar
Deep green. Forms a dense column. Pur	plish in	winter.	
6 to 8 ft., B&B	8.50	7.00	-
8 to 10 ft., B&B	11.00	9.50	
— — burki, 10'-12'		Burks	Juniper
Distinct blue. Forms a dense column.			
2 to 3 ft., B&B	3.75	3.00	2.50
3 to 4 ft., B&B	6.00	5.00	$\frac{2.50}{4.00}$
4 to 5 ft., B&B	7.50	6.00	5.00
5 to 6 ft., B&B	10.00	8.00	$\begin{array}{c} 5.00 \\ 6.50 \end{array}$
—— canaerti, 12'-15'		Canaert R	edcedar
Blackish-green foliage. Dense growing c	olumn.		
2 to 3 ft., B&B	3.75	3.00	2.50
3 to 4 ft., B&B	6.00	5.00	$\frac{2.00}{4.00}$
4 to 5 ft., B&B	7.50		5.00
5 to 6 ft., B&B		8.00	6.50
— — glauca, 15'-20'		Silver R	edcedar
Blue gray foliage. Columnar, tall, narro	w.		
18 to 24 in., B&B	2.60	2.20	1.75
2 to 3 ft., B&B	$\frac{2.75}{3.75}$	3.00	$\frac{1.70}{2.50}$
4 to 5 ft., B&B	7.50	6.25	5.00
6 to 7 ft., B&B		11.00	9.00
7 to 8 ft., B&B		14.00	11.00
— keteleeri, 15'-18'		Keteleer R	edcedar
Deep green foliage. Slate blue berrie	es. Com		
pyramid.	0.75		2 7 4
2 to 3 ft., B&B	$\frac{3.75}{0.00}$	3.00	2.50
3 to 4 ft., B&B	$\begin{matrix} 6.00 \\ 13.00 \end{matrix}$	$\begin{array}{c} 5.00 \\ 11.00 \end{array}$	4.00
numamidalia OELEOL		11.1.70	
— pyramidalis, 35'-50'	P	yramidal R	edcedar
Columnar, dense, compact.	0.00		
2 to 3 ft., B&B		2.50	-
3 to 4 ft., B&B	4.75	3.75	-
4 to 5 ft., B&B		5.00	
5 to 6 ft., B&B	7.50	6.25	

	Unit Pri 1-9	ce in Quan 10-49	tities 50-249
JUNIPERUS virginia schotti, 12'-15'		Schott R	edcedar
Fresh green foliage. Formal columnar	habit.		
18 to 24 in., B&B	2.60	2.20	1.75
2 to 3 ft., B&B	3.75	3.00	$\boldsymbol{2.50}$
3 to 4 ft., B&B	6.00	5.00	4.00
4 to 5 ft., B&B	$\begin{array}{c} 7.50 \\ 12.00 \end{array}$	6.00	5.00
7 to 8 ft., B&B	$\frac{13.00}{17.00}$	$\begin{smallmatrix}11.00\\14.00\end{smallmatrix}$	$\begin{array}{c} 9.00 \\ 11.00 \end{array}$
	17.00	14.00	11.00
			,
KALMIA latifolia, 8'-10'		Mountai	
Evergreen. Pink flowers, June. Glossy for	_		
15 to 18 in., B&B		1.90	1.50
18 to 24 in., B&B		2.50	2.00
2 to 3 ft., B&B	3.75	3.00	2.50
KOLKWITZIA amabilis, 6'-8'			utybush
A distinctive pink flowering shrub. Ver	•		
12 to 18 in	.50	$.\frac{37}{50}$.30
18 to 24 in		.50	.40
2 to 3 ft	.75	.60	.50
LAUREL (See KALMIA)			
LEUCOTHOE axillaris, 3'-4'		Coast Le	ucothoe
Similar to catesbaei being more compaable where the space is limited.	act in hab	it and mor	e desir-
12 to 15 in., B&B		2.00	
15 to 18 in., B&B		2.50	-
18 to 24 in., B&B		$\begin{array}{c} 3.25 \\ 4.00 \end{array}$	
		2100	
— catesbaei, 3'4'		rooping Le	
Evergreen. White flowers, May. Glossy Prefers shade.			coloring.
12 to 15 in., B&B		$egin{array}{c} 1.50 \ 2.50 \end{array}$	
15 to 18 in., B&B	5.00	4.50	
— racemosa, 10'	aamaaa)	Sw	eetbells
(Also called Lyonia rac An attractive shrub with erect branch		d with fine	foliomo
during the summer, which assumes a flowers are borne in profusion durin attractive.	beautiful	fall colori	ng. The
3 to 4 ft., B&B	5.25	4.40	
LIBOCEDRUS decurrens, 100'		Calif. Ince	
Handsome tall growing tree forming needdish. Deep green foliage. Splendid a	accent tre	e.	ad. Bark
5 to 6 ft., B&B	$\begin{array}{c} 8.50 \\ 10.50 \end{array}$	$\begin{array}{c} 7.00 \\ 9.00 \end{array}$	
LIGUSTRUM amurense, 14'-15'		Amu	ır Privet
Semi-evergreen. Upright. Olive green	foliage. V	ery hardy.	
Dom: O.O.B. Com: O.B. Com	4.4	.10	$.07 \frac{1}{2}$
12 to 18 in	.11		
12 to 18 in	.20	.15	.10
12 to 18 in		.15	.10

	Unit Pr	Unit Price in Quantities 1-9 10-49 50-249 Ibolium Privet		
	1-9	10-49	50-249	
LIGUSTRUM ibolium, 8'-10'		Iboliu	m Privet	
Similar to California Privet, but much	hardier.			
12 to 18 in	.09	07	.06	
18 to 24 in	.11	.10	$.07 \frac{1}{2}$	
2 to 3 ft	.20	.15	.10	
3 to 4 ft	.22	.20	.15	
— ibota, 9'-10'		Ibo	ta Privet	
Dense. White flowers. Black berries. Ve	ery hardy.			
2 to 3 ft	.37	.30	.25	
3 to 4 ft	.45	.37	.30	
4 to 5 ft	.75	.60	.50	
5 to 6 ft.	1.10	.95	.75	





Regal Privet—Properly spaced for wide even top-development.

— regelianum (obtusifolium regal.), 5'-6' Low, dense, spreading. Very desirable.		Regal	Privet
12 to 18 in. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft.	$\begin{array}{c} .30 \\ .50 \\ .60 \\ .75 \end{array}$	$egin{array}{c} .25 \\ .40 \\ .50 \\ .60 \\ \end{array}$	$\begin{array}{c} .20 \\ .30 \\ .40 \\ .50 \end{array}$
— vicari, 8'-10' Striking yellow foliage. Clear even color.		lden Ibota	
12 to 15 in	.55	.45	3.5

LIGUSTRUM lucidum (macrophyllum), 20'-2			0-249
	5'	Glossy P	rivet
Evergreen. Rich glossy leaves. Hardy is called Waxleaf Privet.		-	
12 to 15 in	.75	.60	.50
15 to 18 in	1.00	.80	.65
18 to 24 in	$\boldsymbol{1.20}$	1.00	.80
— ovalifolium, 12'-15'	(California F	rivet
Most popular hedge plant. Glossy green			
Heavy 2 and 3 year cut back	ck stock.		
12 to 18 in	.09	.07	.06
18 to 24 in	.11	.09	$.07 \frac{1}{2}$
2 to 3 ft	.20	.15	.10
3 to 4 ft	.22	.20	.15
LILAC (See SYRINGA)			
LINDEN (See TILIA)			
LIQUIDAMBAR styraciflua, 50'-60'		Swee	tgum
Corky bark. Rich green foliage. Grows w	ell in mois	t locations.	
6 to 8 ft	3.00	2.50	2.00
10 to 12 ft., 2 to 2 1/4 in	7.15	5.85	4.75
11 to 13 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in	9.00	7.50	6.00
12 to 14 ft., 2½ to 3 in	11.00	9.50	7.50
13 to 15 ft., 3 to 3½ in	13.00	11.00	9.00
LIRIODENDRON tulipifera, 60'-80'		Tuli	ptree
Rapid growing. Yellow tulip-like flowers	s. June.		
5 to 6 ft	$\boldsymbol{2.25}$	1.90	1.50
6 to 8 ft	3.00	$\boldsymbol{2.50}$	2.00
8 to 10 ft	3.75	3.00	$\boldsymbol{2.50}$
LONICERA bella albida, 8'-9'	White Bo	elle Honeys	uckle
Vigorous, white flowers. Blue green folia	age.		
18 to 24 in	.37	.30	.25
2 to 3 ft	.55	.45	.35
3 to 4 ft	.70	.55	.45
4 to 5 ft	.85	.70	.55
— fragantissima, 6'-8'	Win	ter Honeys	uckle
White fragrant flowers, April, May. Sen	ni-evergree	n.	
18 to 24 in	.37	.30	.25
2 to 3 ft	.55	.45	.35
3 to 4 ft	.70	.55	.45
ispenies hellione 15/.95/	Hall Janar	nese Honeys	nckle
— japonica halliana, 15'-25' Vine. Almost evergreen. Free blooming grant. Ideal for covering steep banks.	_	-	
1 year, 2 in. pots	.15	.12	.10
— maacki, 12'-15'	Aı	mur Honeys	suckle
		-	
Vigorous grower. Thrives under negle	uit.		
Vigorous grower. Thrives under negle White flowers in May followed by red fr	uit.		.30
Vigorous grower. Thrives under negle	uit45	$\begin{array}{c} .37 \\ .50 \end{array}$	$\begin{array}{c} .30 \\ .40 \end{array}$

	Unit Pr 1-9	rice in Quan 10-49	tities 50-249
LONICERA maacki podocarpa, 8'-9'		Late Hone	evsuckle
Strong grower. Stands neglect. White fl	owers. A		•
18 to 24 in	.45	.37	.30
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
4 to 5 ft	.90	.75	.60
— morrowi, 7'-8'		orrow Hone	ysuckle
Spreading habit. White flowers, May, Ju		berries.	
18 to 24 in.	.37	.30	.25
2 to 3 ft	.55	.45	.35
3 to 4 ft	.70	.55	.45
— ruprechtiana, 8'-9'		urian Hone	ysuckle
Creamy white flowers, June. Red and or			
18 to 24 in	.37	.30	.25
2 to 3 ft	.55	.45	.35
3 to 4 ft	.70	.55	.45
4 to 5 ft	.85	.70	.55
—tatarica alba, 9'-10'	Vhite Ta	tarian Hone	ysuckle
White flowers. Red fruit. Very adaptable			
18 to 24 in	.37	.30	.25
2 to 3 ft	.55	.45	.35
3 to 4 ft	.70	.55	.45
4 to 5 ft	.85	.70	.55
— pulcherrima, 9'-10' Bright Very desirable, bright red flowers. Larg			•
12 to 18 in	.37	.30	.25
18 to 24 in	.55	.45	.35
— rosea, 9'-10'	Pink Ta	tarian Hone	eysuckle
Pink flowers. Red fruit. Very adaptable	•		
12 to 18 in	.22	.20	.15
18 to 24 in	.37	.30	.25
LYCIUM chinense, 10'-12'	Chin	ese Matrim	ony-vine
Violet flowers, June. Bright red fruits.	Ideal for	holding ba	nks.
12 to 18 in	.22	.20	.15
18 to 24 in		.25	.20
LYONIA ligustrina, 10'-12'		He-Huc	kleberry
Has attractive white flowers May-July.	A hands	ome native	shrub.
18 to 24 in., B&B	2.25	1.90	1.50
2 to 3 ft., B&B		2.50	2.00
3 to 4 ft., B&B		3.75	3.00
MAGNOLIA glauca (virginiana), 15'-20'	1		weetbay
Fragrant creamy white flowers, May. moist location.	Nearly	evergreen.	Prefers
3 to 4 ft., B&B	4.50	3.75	3.00
4 to 5 ft., B&B	6.00	5.00	4.00

	Unit Pr 1-9	ice in Qua 10-49	ntities 50-249
MAGNOLIA kobus, 20'-30'		Kobus I	Magnolia
White flowers before leaves. Very hardy	•		
4 to 5 ft., B&B	6.00	5.00	4.00
5 to 6 it., B&B	8.50	7.00	5.50
6 to 8 ft., B&B	11.00	9.50	7.50
8 to 10 ft., B&B	$\boldsymbol{15.00}$	12.50	10.00
10 to 12 ft., B&B	19.00	15.00	12.50





Magnolia soulangeana—One of our specialties. The right sizes, well-budded, and of the finest quality. Prices are reasonable.

SAUCER MAGNOLIAS

- soulangeana, 15'-18'

Saucer Magnolia

Purplish-pink Fls., May. Most popular. 18-24" 2-3' 3-4' 4-5' 5-6' Beautifully grown plants. Well branched and budded.

Outstanding quality.

PRICES SAME AS ALBA SUPERBA—NEXT PAGE

stellata, 8'-10' Shrubby habit. Fragrant semi-double flow 18 to 24 in., B&B	3.00 4.10 5.60 7.50 10.00 vers com 6.00 7.50 9.00 11.00	2.50 3.50 4.75 6.00 8.00 Star M ing before 5.00 6.25 7.50 9.00 mbrella M	6-8' 2.00 2.75 3.75 5.00 6.50 Iagnolia 1 leaves. 4.00 5.00 6.00 7.50
White with pink center. 2-3' 3-4' 18 to 24 in., B&B	3.00 4.10 5.60 7.50 10.00 vers com 6.00 7.50 9.00 11.00 Upink. 8.50 10.50	5-6' 2.50 3.50 4.75 6.00 8.00 Star M ing before 5.00 6.25 7.50 9.00 mbrella M	6-8' 2.00 2.75 3.75 5.00 6.50 Iagnolia 1 leaves. 4.00 5.00 6.00 7.50
2 to 3 ft., B&B	4.10 5.60 7.50 10.00 vers com 6.00 7.50 9.00 11.00 Upink. 8.50 10.50	3.50 4.75 6.00 8.00 Star M ing before 5.00 6.25 7.50 9.00 mbrella M	2.75 3.75 5.00 6.50 Iagnolia 1 leaves. 4.00 5.00 6.00 7.50
Shrubby habit. Fragrant semi-double flow 18 to 24 in., B&B	6.00 7.50 9.00 11.00 U pink. 8.50 10.50	5.00 6.25 7.50 9.00 mbrella M	4.00 5.00 6.00 7.50
18 to 24 in., B&B	6.00 7.50 9.00 11.00 U pink. 8.50 10.50	5.00 6.25 7.50 9.00 mbrella M	$4.00 \\ 5.00 \\ 6.00 \\ 7.50$
2 to 2 ½ ft., B&B	7.50 9.00 11.00 U pink. 8.50 10.50	6.25 7.50 9.00 mbrella M	5.00 6.00 7.50
-	pink. 8.50 10.50	7.00	lagnolia
Large leaves, white flower. Seed pods are	$\begin{matrix} 8.50 \\ 10.50 \end{matrix}$		
	10.50		
• •		$\begin{array}{c} 9.00 \\ 11.00 \end{array}$	5.50 7.00 9.00
MAIDENHAIR — (See GINKGO)			
	OD AD		
MALUS—FLOWERING (Our Malus are a nice lot. Clean young thave ever grown.		cock. The	best we
MALUS arnoldiana, 8'-10' White flowers. Very compact.		Arno	old Crab
2 to 3 ft	$egin{array}{c} .90 \\ 1.10 \\ 1.50 \\ 1.90 \\ \end{array}$.75 $.95$ 1.25 1.50	$\begin{array}{c} .60 \\ .75 \\ 1.00 \\ 1.25 \end{array}$
— atrosanguinea, 10'-15' Single red flowers in abundance.		Carmi	ne Crab
3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	$1.10 \\ 1.50 \\ 1.90$	$\begin{array}{c} .95 \\ 1.25 \\ 1.50 \end{array}$	$\begin{array}{c} .75 \\ 1.00 \\ 1.25 \end{array}$
— floribunda, 10'-15'	_	se Floweri	ng Crab
Single rose colored flowers. Yellow fruits 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft.	$\begin{array}{c} .90 \\ 1.10 \\ 1.50 \\ 1.90 \\ 2.55 \end{array}$	$\begin{array}{c} .75 \\ .95 \\ 1.25 \\ 1.50 \\ 2.15 \end{array}$	$\begin{array}{c} .60 \\ .75 \\ 1.00 \\ 1.25 \\ 1.75 \end{array}$
— halliana parkmani, 10'-15'		Parkm	an Crab
Semi-double pink. Compact habit. Slow g 2 to 3 ft	_	$\begin{array}{c} .80 \\ 1.00 \end{array}$	
— hoppi, 12'-15' Rose red double flowers. Red fruit. Hard		ed Floweri etive.	ng Crab
2 to 3 ft	$\begin{array}{c} .90 \\ 1.10 \\ 1.50 \\ 1.75 \end{array}$.75 $.95$ 1.25 1.50 2.15	$\begin{array}{r} .60 \\ .75 \\ 1.00 \\ \hline \end{array}$

	Unit P	rice in Quan	tities
	1-9	10-49	50-249
MALUS ioensis plena, 10'-15'		Becht	tel Crab
Large double bright pink. Fragrant. Late	e blooi	ming.	
18 to 24 in	1.00	.80	.65
2 to 3 ft	1.10	.95	.75
3 ft	1.30	1.10	.90
— sargenti, 6'-8'		Sarge	ent Crab
Spreading. Straw colored flowers. Scarlet	fruit	hanging all	winter.
2 to 3 ft	1.05	.90	.70
3 to 4 ft	1.65	$\boldsymbol{1.35}$	1.10
4 to 5 ft	2.25	$\boldsymbol{1.90}$	$\boldsymbol{1.50}$
5 to 6 ft	3.00	$\boldsymbol{2.50}$	$\boldsymbol{2.00}$
6 to 8 ft	3.75	3.00	2.50





Flowering Crabs—Plenty of vigor and quality. Good variety list.

- scheidecker	ri, 10'-15'		Scheidecker	Crab
Double re	ed buds changing to pink. Yell	low fruits	•	
2 to 3	ft	1.00	.80	.65
3 to 4	ft	1.10	.95	.75
4 to 5	ft	$\boldsymbol{1.50}$	$\boldsymbol{1.25}$	
5 to 6	ft	$\boldsymbol{1.95}$	1.60	

	Unit Dei	ce in Quant	tities
	1-9	10-49	50-2 49
MALUS theifera (hupehensis), 15'20'			ea Crab
Sturdy, spreading. Literally covered wi			
3 to 4 ft	1.10	.95	
4 to 5 ft	1.50		
5 to 6 ft	$\boldsymbol{2.25}$	1.90	-
— zumi calocarpa, 12'-15'			
Has large handsome bright red fruit and strong growing type.	d large pi	nk flowers.	A good
3 to 4 ft	1.10	.95	
4 to 5 ft	1.50	$1.\overline{25}$	
5 to 6 ft	1.90	1.50	-
6 to 8 ft	2.55	2.15	
MAPLE (See ACER)			
MATRIMONY VINE (See LYCIUM)			
MOCKORANGE (See PHILADELPHUS)			
MOUNTAIN LAUREL (See KALMIA)		Y 4 }	
MYRICA carolinensis, 4'-5'		Northern B	•
Does well in poor, gravelly soil. Has d glossy, green foliage. Good for seashor		gray berri	es, and
15 to 18 in., B&B		$\bf 1.25$	1.00
18 to 24 in., B&B		$\boldsymbol{2.50}$	2.00
2 to 2½ ft., B&B		3.00	2.50
MYRTLE (See VINCA)			
NYSSA sylvatica, 40'-60'	Blac	kgum or S	ourgun
Rich foliage. Brilliant autumn colors.	Will grow	in wet loc	ations.
8 to 10 ft., B&B	12.50	10.00	
404 404 707	17.50	15.00	
10 to 12 ft., B&B	* 1100		
10 to 12 ft., B&B		20.00	
12 to 14 ft., B&B			-
12 to 14 ft., B&B	24.00		ornbean
12 to 14 ft., B&B	24.00 Amer	20.00 ican Hopho	
12 to 14 ft., B&B OAK (See QUERCUS) OSTRYA virginiana, 25'-30'	Amer ne beech-	20.00 ican Hopho like foliag	e. Clea
12 to 14 ft., B&B OAK (See QUERCUS) OSTRYA virginiana, 25'-30' Slender, spreading branches. Handson yellow in autumn. Smooth blue-gray by dry locations.	Amer ne beech- ark. Hop-	20.00 ican Hopho like foliag	e. Clea
12 to 14 ft., B&B OAK (See QUERCUS) OSTRYA virginiana, 25'-30' Slender, spreading branches. Handson yellow in autumn. Smooth blue-gray by	Amer ne beech- ark. Hop-	20.00 ican Hopho like foliag	e. Clea
12 to 14 ft., B&B OAK (See QUERCUS) OSTRYA virginiana, 25'-30' Slender, spreading branches. Handson yellow in autumn. Smooth blue-gray badry locations. 5 to 6 ft. 6 to 8 ft.	Amer ne beech- ark. Hop- 2.40 3.30	20.00 ican Hopho like foliag like fruits.	e. Clea
12 to 14 ft., B&B OAK (See QUERCUS) OSTRYA virginiana, 25'-30' Slender, spreading branches. Handson yellow in autumn. Smooth blue-gray be dry locations. 5 to 6 ft.	Amer ne beech- ark. Hop- 2.40 3.30	20.00 ican Hopho like foliag like fruits. 2.00	e. Clea
12 to 14 ft., B&B OAK (See QUERCUS) OSTRYA virginiana, 25'-30' Slender, spreading branches. Handson yellow in autumn. Smooth blue-gray be dry locations. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. OXYDENDRON arboreum, 25'-30'	Amer ne beech- ark. Hop- 2.40 3.30 5.00	20.00 ican Hopholike foliaglike fruits. 2.00 2.75 4.00	e. Clea Good i: ourwoo
OAK (See QUERCUS) OSTRYA virginiana, 25'-30' Slender, spreading branches. Handson yellow in autumn. Smooth blue-gray be dry locations. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. OXYDENDRON arboreum, 25'-30' White flowers in August. Leathery fol	Amer ne beech- ark. Hop- 2.40 3.30 5.00	20.00 ican Hopholike foliaglike fruits. 2.00 2.75 4.00	e. Clea Good i ——— ourwoo
OAK (See QUERCUS) OSTRYA virginiana, 25'-30' Slender, spreading branches. Handson yellow in autumn. Smooth blue-gray be dry locations. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. OXYDENDRON arboreum, 25'-30' White flowers in August. Leathery foling.	Amer ne beech- ark. Hop- 2.40 3.30 5.00 iage. Stril	20.00 ican Hopho like foliag like fruits. 2.00 2.75 4.00 So	e. Clea Good i
OAK (See QUERCUS) OSTRYA virginiana, 25'-30' Slender, spreading branches. Handson yellow in autumn. Smooth blue-gray be dry locations. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. OXYDENDRON arboreum, 25'-30' White flowers in August. Leathery foling. 3 to 4 ft., BR	Amer ne beech- ark. Hop- 2.40 3.30 5.00 iage. Stril	20.00 ican Hopholike foliaglike fruits. 2.00 2.75 4.00 Some	e. Clea Good in
OAK (See QUERCUS) OSTRYA virginiana, 25'-30' Slender, spreading branches. Handson yellow in autumn. Smooth blue-gray be dry locations. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. OXYDENDRON arboreum, 25'-30' White flowers in August. Leathery foling. 3 to 4 ft., BR 4 to 5 ft., B&B	Amer ne beech- ark. Hop- 2.40 3.30 5.00 iage. Stril	20.00 ican Hopholike foliaglike fruits. 2.00 2.75 4.00 Solution autum 1.70 5.00	e. Clea Good is ourwoo in color 1.3 4.0
OAK (See QUERCUS) OSTRYA virginiana, 25'-30' Slender, spreading branches. Handson yellow in autumn. Smooth blue-gray be dry locations. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. OXYDENDRON arboreum, 25'-30' White flowers in August. Leathery foling. 3 to 4 ft., BR 4 to 5 ft., B&B 5 to 6 ft., B&B	24.00 Amer ne beech- ark. Hop- 2.40 3.30 5.00 iage. Stril 2.00 6.00 7.15	20.00 ican Hopholike foliaglike fruits. 2.00 2.75 4.00 Solution autum 1.70 5.00 5.85	e. Clea Good is ourwoo in color 1.3 4.0 4.7
OAK (See QUERCUS) OSTRYA virginiana, 25'-30' Slender, spreading branches. Handson yellow in autumn. Smooth blue-gray be dry locations. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. OXYDENDRON arboreum, 25'-30' White flowers in August. Leathery foling. 3 to 4 ft., BR 4 to 5 ft., B&B	24.00 Amer ne beech- ark. Hop- 2.40 3.30 5.00 iage. Stril 2.00 6.00 7.15 9.00	20.00 ican Hopholike foliaglike fruits. 2.00 2.75 4.00 Solution autum 1.70 5.00	e. Clea Good in

	Unit Pri 1-9	ce in Quant 10-49	tities 50-249
PACHYSANDRA terminalis, 6"-8"		Japanese	Snurge
Evergreen. Ideal ground cover for shad	v nlaces	oapanese	ppurgo
1 year, 2 in. pots	.22	.20	.15
1 year, 2 m. pots	. 4 4	.20	.10
PHELLODENDRON amurense, 25'-30'		Amur C	orktree
Hardy interesting tree with corky bark	•		
8 to 10 ft	3.75	3.00	2.50
10 to 12 ft., 1½ to 2 in	5.25	4.40	3.50
11 to 13 ft., 2 to 2½ in	$\begin{array}{c} 6.75 \\ 8.50 \end{array}$	$\begin{matrix} 5.50 \\ 7.00 \end{matrix}$	$\frac{4.50}{5.50}$
12 to 14 it., 2 72-0 iii	0.00	1.00	0.00
PHILADELPHUS — MOCK	ORANGI	C	
PHILADELPHUS coronarius, 9'-10'	1	Sweet Mock	orange
White fragrant flowers. Profusely born.	May and	June.	
18 to 24 in	.37	.30	.25
2 to 3 ft	.50	.40	.30
3 to 4 ft	$\begin{array}{c} \textbf{.60} \\ \textbf{.75} \end{array}$	$\begin{matrix} \textbf{.50} \\ \textbf{.60} \end{matrix}$.40 $.50$
4 to 5 ft	. 7 9	.00	.80
— aurea, 4'-5'	Gold	enleaf Mocl	korange
Dwarf compact form. Bright yellow lea	ves.		
9 to 12 in	.45	.37	.30
12 to 15 in	$\begin{matrix} .60 \\ .75 \end{matrix}$.50	.40 $.50$
— floribundus, 9'-10'			
Resembles coronarius. Very free bloogrant.	ming; flo	wers sligh	tly fra-
2 to 3 ft	.55	.45	.35
3 to 4 ft	.70	.55	.45
4 to 5 ft	.85	.70	.55
— virginalis, 7'-8'	Vi	rginal Moc	korange
Semi-double. Blooms throughout summ	er. Fragr	ant.	
12 to 18 in	.45	.37	.30
18 to 24 in	.60	.50	.40
2 to 3 ft	.75	.60 $.80$.50
3 to 4 ft	$\begin{array}{c} 1.00 \\ 1.10 \end{array}$.95	.05
1 10 5 11	1.10	.00	
LARGE GROWING SP		**************************************	
Distinctive habit and large s			, 0.41
 atlas, 6-8'. Enormous white flowers. Tall banniere, 7'-8'. Early semi-double. Pure enchantment, 7-8'. Double white in thick girandole, 7-8'. Handsome. Profuse in fl glacier, 6'-7'. Semi-double. Bushy 18-24' nivalis, 10'. Very floriferous 2-3', 3-4', 4-5 voie lactee, 7'-8'. Large single white 2-3' 	white 18- c panicles ower 18- c, 2-3'	24", 2-3' s 18-24", 2-	
Above Species at following prices:	•		
18 to 24 in	.45	.37	.30
2 to 3 ft.	.55	.45	.35
3 to 4 ft	.70	.55	.45

PHILADELPHUS continued

SMALLER GROWING SPECIES

— albatre 4'-5'. Large single white flowers. Compact 18-24", 2-3'
— avalanche 4'-5'. Dwarf Mockorange. Arching habit 18-24", 2-3' 3-4'.

— avalanche 4 • 3. Dwall Mockolange. In our	8	,	
18 to 24 in	.55	.45	.35
2 to 3 ft	.60	.50	.40





Philadelphus virginalis—This is our selected strain which flowers freely and is a good compact grower.

PHOTINIA subumbellata, 10'		Christma	asberry
Slender branched shrub. Shrubby in charac	eter. Se	arlet fruit	s.
18 to 24 in	.55	.45	.35
2 to 3 ft	.70	.55	.45
3 to 4 ft	.85	.70	.55
PHYSOCARPUS opulifolius aurea, 9'-10'		Golden Ni	nebark
Golden-leaved variety; white flowers in ear	rly Jun	e.	
18 to 24 in	.3.7	.30	.25
2 to 3 ft	.55	.45	.35
PICEA — SPRUCE			
PICEA excelsa (abies), 80'-100' Dark green foliage. Rapid growth.		Norway	Spruce
	2.50	2.00	
2½ to 3 ft., B&B	3.45	2.80	
· ·	4.90	4.00	

6.75

4 to 5 ft., B&B.....

		Unit Pri 1-9	ce in Quan 10-49	tities 50-249
PICEA omorika, 40'-50'			Serbian	Spruce
A rapid-growing, narrow, of Southeastern Europe. Good			e introduce	_
4 to 5 ft., B&B		6.75	$\boldsymbol{5.50}$	
5 to 6 ft., B&B	• • • • • • • • • • • • • • • •	9.00	7.50	,
— pungens kosteri, 60'-80'			Coster Blue	Spruce
Selected for rich blue color	. Grafted pla	ints of qu	iality.	
18 to 24 in., B&B		7.50	$\boldsymbol{6.25}$	
DWAI	RF SPRUCES	S		
We have been building up varieties of dwarf Spruces locations when neat, compa	s especially act evergreer	adapted is are wa	for rocker	
Varieties	Sizes Ava	ilable		
Picea excelsa clanbrasiliana	18-24 in.	•	Barry	Spruce
— — Gregoryana	18-24 in.	•	Gregory	Spruce
——————————————————————————————————————	15-18 in., 18-	-24 in.	Birdsnes	t Spruce
Above varieties at following	g prices:			
12 to 15 in., B&B		3.00	2.50	2.00
15 to 18 in., B&B		4.00	3.40	2.75
18 to 24 in., B&B		5.00	4.00	3.25
PIERIS japonica, 5'-6'			panese And	
Evergreen. Drooping cluste	ers of small,	white flo	wers open	in May.
9 to 12 in., B&B		1.50	1.25	1.00
12 to 15 in., B&B		$\substack{\textbf{1.90} \\ \textbf{2.60}}$	$\substack{1.50\\2.20}$	$\begin{array}{c} 1.25 \\ 1.75 \end{array}$
PINUS resinosa, 60'-70'			F	Red Pine
Vigorous. Dark green, stiff	needles.		1	tou i ino
3 to 4 ft., B&B		5.50	4.50	
4 to 5 ft., B&B		8.50	7.00	
5 to 6 ft., B&B		11.00	9.00	
6 to 8 ft., B&B		13.50	11.00	-
— strobus, 80'-100'			Wh	nite Pine
Dark green. Very adaptable	e. Picturesqu	e when o	ld.	
3 to 4 ft., B&B		5.50	4.50	3.50
4 to 5 ft., B&B		7.50	6.25	5.00
5 to 6 ft., B&B		9.00	7.50	6.00
6 to 7 ft., B&B		11.00	9.00	7.00
PLANE TREE (See PLATANUS	S)			
PLATANUS occidentalis, 75'-10				
	nerican Plane			
Rugged, strong growing. developed. Very picturesqu		, almost	white bar	rk when
6 to 8 ft		1.90	$\boldsymbol{1.50}$	1.25
	1 110 7		. 7 7	

Unit Price in Quantities

	1-9	10-49	50-249
PLATANUS orientalis, 70'-80' A desirable, quick growing street or par		Curopean P Withstand	
condition. 6 to 8 ft 8 to 10 ft 8 to 10 ft., 1½ to 1½ in 10 to 12 ft., 1½ to 1¾ in	2.25 3.75 5.25 7.50	1.90 3.00 4.40 6.00	1.50 2.50 3.50 5.00
10 to 12 ft., 1 ¾ to 2 in	$9.00 \\ 12.00 \\ 15.00$	$7.50 \\ 10.00 \\ 12.50$	$6.00 \\ 8.00 \\ 10.00$



Oriental Planes—Princeton's "know-how" plus the right soil, accounts for this quality. Note proper spacing and ideal top development.

POLYGONUM auberti, 25' Strong growing vine producing foamy spraand fall.	ays of f	China Fle lowers in s	
2 year	.60	.50	.40
POPULUS alba bolleana, 50'-60' Leaves white underneath. Columnar habit	. Good	Bolleana for screens	
4 to 6 ft	.75	.60	
— eugenie, 75'-90' Rapid grower. Succeeds in dry places and	near se	Carolina eashore.	Poplar
4 to 6 ft	.55 .75	$.45\\.60$	$\begin{array}{c} \textbf{.35} \\ \textbf{.50} \end{array}$

Unit Price in Quantities 1-9 10-49 **50-24**9

POPULUS maximowiczii, 60'-80' Dark green foliage. Medium spreading stately, clean tree.	form.	Japanes Gray white	e Poplar bark. A
6 to 8 ft	1.10	.95	.75
8 to 10 ft.	1.50	1.25	1.00
10 to 12 ft., $1\frac{1}{2}$ to 2 in	2.25		1.50
12 to 14 ft., 2 to 2 ½ in.	3.00		2.00
14 to 16 ft., 2½ to 3 in	6.75		$\frac{2.50}{4.50}$



]	Lombardy	Pop	lars—`	Young,	clean,	and	bright.	Branched	to	the	ground.	

— nigra italica, 60'-80'		Lombardy	Poplar
Tall, spire-like. Good for landscape work	and scr	eens.	
4 to 6 ft. whips	.37	.30	.25
6 to 8 ft	.75	.60	.50
8 to 10 ft	1.10	.95	.75
10 to 12 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	1.50	$\boldsymbol{1.25}$	1.00
PRIVET (See LIGUSTRUM)			
PRUNUS cerasiferia pissardi, 12'-15'		Purplelea	f Plum
Valued chiefly because of purplish foliag year for best color effect.	e; shoul	d be prune	d every
3 to 4 ft	1.10	.95	.75
4 to 5 ft	$\boldsymbol{1.50}$	$\boldsymbol{1.25}$	1.00

·	Unit Pri	ce in Qua 10-49	ntities 50-249
PRUNUS glandulosa alba, 5'-6'	_	Flowering	
Double white flowers in May. Very attr	active.		
18 to 24 in	.60	.50	.40
2 to 3 ft	.75	.60	.50
3 to 4 ft	.90	.75	.60
— pink, 5'-6'	Pink F	lowering	Almond
Double pink flowers in May. Very attrac	tive.		
12 to 18 in	.45	.37	.30
18 to 24 in	.60	.50	.40
2 to 3 ft	.75	.60	.50
3 to 4 ft	.90	.75	.60
— maritima, 5'-6'		Bea	ch Plum
Small white flowers, April. Ideal for caing. Edible fruit.	ndy soil a	and seasid	le plant-
18 to 24 in	.37	.30	.25
2 to 3 ft	.55	.45	.35
3 to 4 ft	.70	.55	.45
4 to 5 ft	1.05	.90	.70
5 to 6 ft	1.50	$\boldsymbol{1.25}$	1.00



Japanese Flowering Cherries-We have never seen nicer.

PRUNUS PERSICA (see AMYGDALUS)

	Unit Pric	ce in Quan 10-49	tities 50-249
PRUNUS subhirtella autumnalis, 25'-30'		October	Cherry
Strong sturdy tree. Semi-double, white green foliage. Brilliant fall coloring.	flowers in	early sprin	g. Dark
3 to 4 ft	1.50	$\boldsymbol{1.25}$	
4 to 5 ft	2.25	1.90	
5 to 6 ft		2.50	
— Beni Higan, 25'-30'	0	Higan	Cherry
Small tree. Upright. Single bright pink			
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.25	$\frac{1.90}{2.20}$	1.50
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.50	3.75	3.00
6 to 10 ft	6.00	5.00	4.00
— — pendula, 12'-15'	Weeping	Japanese	Cherry
A most beautiful and graceful tree, of in early spring.	covered wi	th pink b	lossoms
2 to 3 ft. stems, 1 year heads	$\boldsymbol{1.50}$	$\boldsymbol{1.25}$	1.00
3 to 4 ft. stems, 1 year heads	$\boldsymbol{2.25}$	1.90	1.50
3 to 4 ft. stems, 2 year heads	4.50	3.75	3.00
4 to 5 ft. stems, 1 year heads	$\boldsymbol{3.75}$	3.00	2.00
4 to 5 ft. stems, 2 year heads	6.00	5.00	4.00
5 to 6 ft. stems, 1 year heads	$\boldsymbol{5.25}$	4.40	$\boldsymbol{3.50}$
5 to 6 ft. stems, 2 year heads	7.50	6.00	5.00
These trees are grown on Prunus pend and of good quality. Preferred by mar 3 to 4 ft. stems 4 to 5 ft stems 5 to 6 ft. stems	ny to top g		
— triloba plena, 7'-8' Double pink flowers, April-May. Han		oleflowerin d useful.	g Plum
18 to 24 in	60	.50	.40
2 to 3 ft	.75	.60	.50
3 to 4 ft	.90	.75	.60
— yedoensis, 35'		Yoshino	Cherry
Single, pale pink flowers.		TOBILLIO	CHOIL
3 to 4 ft	2.25	1.90	-
4 to 5 ft	3.00		
5 to 6 ft	3.90	3.25	
JAPANESE CHERR	RIES		
PRUNUS amanogawa, 20'-25' Semi-double pale pink flowers in profu	igion -		
		1 05	1 00
2 to 3 ft			1.00
3 to 4 ft	2.25		1.50
4 to 5 ft	$\frac{3.00}{4.10}$	$\frac{2.50}{2.50}$	
5 to 6 ft	4.10	3.50	
- Kanzan (Serr. Sekiayama) (Kwanzan), 4 Dbl. deep pink. The best double flower		. Ours are	young,
thrifty, and well grown.			
2 to 3 ft	1.50	$\bf 1.25$	1.00
3 to 4 ft		1.90	1.50
4 to 5 ft	3.00	2.50	2.00
5 to 6 ft	3.75	3.00	2.50

	Unit Pr	ice in Qua	ntities
	1-9	10-49	50-249
JAPANESE CHERRIES (cont.)			
PRUNUS naden, 40'			
Semi-double. Pale pink.			
3 to 4 ft	2.25	$\frac{1.90}{2.50}$	
1 to 5 ft	3.00	2.50	





Pink Almond (own root), Spirea prunifolia (true bridalwreath), and other good shrubs. Quality plants. Note cover crop in foreground. Crop rotation is essential in maintaining proper fertility and soil texture.

- Shirofugen (Serr. Alba-Rosea), 25'-30'			
Dbl. white, pink bud.			
	0 = 0	0.00	
3 to 4 ft	2.50		
4 to 5 ft	3.00	2.50	
EXTRA CHARGE FOR DIGGING CHERY SCHEDULE, Page 2		B—SEE B	8&B
PSEUDOTSUGA douglasi (taxifolia), 70'-80'		Dou	glas-fir
Hardy. Dark bluish green coloring. Does	best in	well draine	d loca-
tion.			
2½ to 3 ft., B&B	4.90	4.05	3.25
3 to 4 ft., B&B	6.75	7.50	
4 to 5 ft., B&B	9.00	7.50	
PTELEA trifoliata, 10'-12' Has clusters of fruit that look and smel	l lika hav		op Tree
	_		
4 to 5 ft	.75	.60	
5 to 6 ft	.90	.75	.60
6 to 8 ft	1.10	.95	.75

TWINGETON WORKE	TUTED		
	Unit Pr 1-9	rice in Quar 10-49	ntities 50-249
PYRACANTHA coccinea lalandi, 9'-12'		Laland F	irethorn
Evergreen. A beautiful broad-leaved ev			
of orange berries in the fall. Needs pro			
12 to 15 in., 4 in. pot	$\frac{1.10}{1.50}$.95	.75
15 to 18 in., 4 in. pot	1.50	$\boldsymbol{1.25}$	1.00
— crenulata, 9'-12' Glossy foliage; bright red berries.	Extreme	Nepal F	
desirable.	1.00	1 50	1 95
15 to 18 in., 4 in. pot	$\begin{array}{c} 1.90 \\ 2.60 \end{array}$		$\begin{array}{c} 1.25 \\ 1.75 \end{array}$
10 to 21 m., 1 m. pot	2.00	2.20	1.10
NURSERY GROWN O	AKS		
QUERCUS alba, 100'		Wł	nite Oak
Most rugged of all Oaks. Slow growing.		nagnificent	
6 to 8 ft	3.75	$\boldsymbol{3.00}$	$\boldsymbol{2.50}$
8 to 10 ft., 1 to 1 1/4 in	4.50	3.75	3.00
8 to 10 ft., 1½ to 1½ in	6.00	5.00	
9 to 11 ft., 1½ to 1¾ in	$\begin{array}{c} 7.50 \\ 9.00 \end{array}$	$\begin{array}{c} 6.00 \\ 7.50 \end{array}$	
11 to 13 ft., 2 to 2 ¼ in.		9.00	$\begin{array}{c} 3.00 \\ 7.50 \end{array}$
12 to 14 ft., 2 ¼ to 2 ½ in	13.00	11.00	9.00
13 to 15 ft., 2 ½ to 3 in	17.00	14.00	11.00
— bicolor, 60'	r houle	Swamp Wh	nite Oak
Large tree. Round open head. Gray scaly 8 to 10 ft., 1¼ to 1½ in	4.50	3.75	3.00
9 to 11 ft., 1½ to 1¾ in	$\begin{array}{c} \textbf{4.30} \\ \textbf{6.00} \end{array}$	$\begin{array}{c} 5.75 \\ 5.00 \end{array}$	$\frac{3.00}{4.00}$
10 to 12 ft., 1 ¾ to 2 in	7.50	6.00	5.00
11 to 13 ft., 2 to 2 ¼ in.	9.00	7.50	6.00
12 to 14 ft., 2 ½ to 3 in	11.00	9.00	7.50
		α	1-4-0-1-
— coccinea, 75'-90'	Ytwilring o		rlet Oak
Stately, tall grower. Deeply cut leaves. S	$\frac{3.00}{3.00}$	$\frac{1}{2.50}$	2.00
8 to 10 ft., 1 to 1¼ in	4.50	$\begin{matrix}2.30\\3.75\end{matrix}$	$\frac{2.00}{3.00}$
9 to 11 ft., 1 ¼ to 1 ½ in	6.00	5.00	4.00
10 to 12 ft., 1½ to 1¾ in	9.00	7.50	6.00
11 to 13 ft., 1 ¾ to 2 in	11.00	9.00	7.00
12 to 14 ft., 2 to 2½ in	13.00	11.00	9.00
14 to 16 ft., 2 ½ to 3 in	19.00	15.00	12.50
— macrocarpa, 75'-80' Vigorous. Has corky branches.		Mossy	cup Oak
8 to 10 ft., 1 to 1¼ in	4.90	4.05	3.25
9 to 11 ft., 1 ¼ to 1 ½ in	6.00	5.00	4.00
10 to 12 ft., 1½ to 1¾ in	7.50	6.00	5.00
11 to 13 ft., 1 ¾ to 2 in	9.00	$\boldsymbol{7.50}$	6.00
12 to 14 ft., 2 to 2 ½ in	11.00	9.00	7.50
13 to 15 ft., 2 ½ to 3 in	13.00	11.00	9.00
— palustris, 75'-90'			Pin Oak
Most desirable and adaptable. Excellent	autumn		
6 to 8 ft	3.00	2.50	2.00
8 to 10 ft., 1 to 1 1/4 in	4.50	3.75	3.00
9 to 11 ft., 1¼ to 1½ in	6.00	5.00	4.00
10 to 12 ft., 1½ to 1¾ in	8.50	7.00	5.50
10 to 12 ft., 1 ¾ to 2 in	10.00	8.00	$\begin{array}{c} 6.50 \\ 0.00 \end{array}$
12 to 14 ft., 2 to 2½ in	13.00	$\begin{array}{c} 11.00 \\ 15.00 \end{array}$	$\begin{smallmatrix}9.00\\12.50\end{smallmatrix}$
12 to 15 ft., 2½ to 3 in	19.00	10.00	14.50

		ce in Qua	
	1-9	10-49	50-249
QUERCUS prinus, 50'		Chest	tnut Oak
Picturesque rugged habit.			
6 to 8 ft	3.40	2.80	2.25
8 to 10 ft., 1 to 1¼ in.	4.50	3.75	3.00
9 to 11 ft., 1 1/4 to 1 1/2 in.	6.00	5.00	4.00
10 to 12 ft., 1 ½ to 2 in.	7.50	6.00	5.00
11 to 13 ft., 2 to 2½ in	9.00	7.50	6.00





Pin Oaks—We are noted for our fine shade trees. See the spacing for proper development.

— robur fastigiata, 60' Narrow columnar. Long lived.	Pyra	midal Eng	glish Oak
6 to 8 ft., B&B	10.00	8.00	-
8 to 10 ft., 1¼ to 1½ in., B&B	15.00	12.50	-
10 to 12 ft., 1½ to 2 in., B&B	19.00	17.00	-
— rubra (borealis maxima), 75'-90' Quick growing. Good autumn coloring.		Common	Red Oak
6 to 8 ft	3.00	2.50	2.00
8 to 10 ft., 1 to 1¼ in	4.50	3.75	3.00
9 to 11 ft., 1¼ to 1½ in	6.00	5.00	4.00
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in.	9.00	7.50	6.00
11 to 13 ft., 13/4 to 2 in.	11.00	9.00	7.00
12 to 15 ft., 2 to 2½ in	13.00	11.00	9.00
13 to 16 ft., $2\frac{1}{2}$ to 3 in	19.00	15.00	12.50
QUINCE, FLOWERING (See CYDONIA)			

REDBUD (See CERCIS)

RETINOSPORA (See CHAMAECYPARIS)

RHAMNUS caroliniana, 25'		Carolina B	uckthorn
Rich green foliage. Red berries turning	black	when ripe.	
5 to 6 ft	1.10	.95	
6 to 8 ft	1.50	$\boldsymbol{1.25}$	
8 to 10 ft	2.10	1.75	
— cathartica, 9'-10'		Common B	uckthorn
Dark green foliage. Black berries.			
18 to 24 in	.60	.50	.40
2 to 3 ft	.75	.60	.50
3 to 4 ft	.90	.75	.60
— frangula, 8'-9'		Glossy B	uckthorn
Excellent foliage. Red berries turning b	lack w	hen ripe.	
18 to 24 in	.60	.50	.40
2 to 3 ft	.75	.60	.50
3 to 4 ft	.90	.75	.60
4 to 5 ft	1.10	.95	.75

RHODODENDRONS			
RHODODENDRON carolinanum, 4'-6'			dendron
Bright pik flowers, May-June. One of the spaces.	best for p	lanting	in open
18 to 24 in	$\boldsymbol{5.25}$	4.40	3.50
2 to 2½ ft	6.75	5.50	4.50
— catawbiense, 6'-9' Large rosy purple flowers, May-June. Doe		partial s	shade.
2 to 2 ½ ft., B&B	4.50		
2½ to 3 ft., B&B	6.00	5.00	4.00
3 to 4 ft., B&B	7.50	$\boldsymbol{6.00}$	5.00
Striking light pink flowers, May-June. Do		shaded a	
3 to 4 ft., B&B	6.00		4.00
4 to 5 ft., B&B	9.00	7.50	6.00
5 to 6 ft., B&B	12.00	10.00	8.00

HYBRID RHODODENDRONS

In addition to the varieties listed we have a number of large plants of fair and good quality which will be priced according to variety and size. Sold only on customer's personal selection at the nursery.

Album elegans. Light blush changing to white.

2 ½'; 2 ½-3'; 3-3 ½'; 3 ½-4'; 4-5'

Catawbiense grandiflora. Lavender pink. 2-2 ½'; 2½-3'; 3-3½'.

— album. Good white. 18-24''; $2-2\frac{1}{2}'$; $2\frac{1}{2}-3'$.

Lady Armstrong. Rose pink. $2-2\frac{1}{2}$; $2\frac{1}{2}-3-$; $3-3\frac{1}{2}$.

Roseum elegans. Lavender-pink.

15-18"; 18-24"; $2-2\frac{1}{2}'$; $2\frac{1}{2}-3'$; $3-3\frac{1}{2}'$; $3\frac{1}{2}-4'$; 4-5'.

		ice in Qua	
	1-9	10-49	50-249
RHODODENDRON HYBRIDS (cont.)			
- Roseum superbum. Clear, soft coral-rose.		$3\frac{1}{2}-4'$; 4-	5'
Foregoing varieties at the following pr			
18 to 24 in., B&B	6.00	5.00	
2 to 2½. ft., B&B	$\begin{matrix} \textbf{10.00} \\ \textbf{12.50} \end{matrix}$	$\begin{matrix} 7.50 \\ 10.00 \end{matrix}$	
3 to 3½ ft., B&B	15.00	12.50	
3 ½ to 4 ft., B&B	19.00	15.00	
4 to 5 ft., B&B	22.00	17.50	
Boule de Neige. Dwarf. Clear white.			
18 to 24 in., B&B	10.00	7.50	
2 to 2½ ft., B&B	12.50	10.00	
See also AZALEA for species and var. Azalea.	ieties co	mmonly k	nown as
RHODOTYPOS kerrioides (scandens), 4'-5'		Whit	e Kerria
Fresh green foliage. White flowers, Mblack berries all winter.	lay, Jun	e. Shiny h	ead-like
12 to 18 in	.45	.37	.30
2 to 3 ft	.75		.50
3 to 4 ft	1.10	.90	.70
RHUS copallina, 12'-13'		Shining	g Sumac
Showy crimson fruits. Rich autumn cold dry locations.	oring. Go	ood in poor	r soil or
18 to 24 in	.45	.37	.30
2 to 3 ft	.60	.50	.40
— glabra, 10'-12'			n Sumac
Crimson fruits in bunches. Rich autumn			
2 to 3 ft			
3 to 4 ft	.60	.50	.40
— typhina, 15'-18'		Staghorn	Sumac
Picturesque habit. Brilliant autumn effec	ct.		
2 to 3 ft	.37	.30	.25
3 to 4 ft	.55	.45	.35
—— laciniata, 14'-15'		Shredded	Sumac
Finely cut leaves giving feathery appear 18 to 24 in.	ance.	20	9.5
2 to 3 ft	.37	$\begin{array}{c} .30 \\ .37 \end{array}$	$\begin{array}{c} .25 \\ .30 \end{array}$
ROBINIA hispida, 5'-6'			e-acacia
Rosy pink pea shaped flowers May, June.		1108	e-acacia
18 to 24 in	.55	.45	.35
2 to 3 ft	.70	.55	.45
ROSA blanda, 4'-5'		Meado	ow Rose
Pink, May. Almost thornless. Reddish br	anches.		
18 to 24 in	.55	.45	.35
2 to 3 ft	.70	.55	.45
	.85	.70	.55
— hugonis, 6' Bright yellow flowers. Reddish wood. Up	Gold	den Rose o	of China
rose.	right. Ex	cellent typ	e shrub
18 to 24 in	.75	.60	.50
2 to 3 ft	1.00	.80	.65

	Unit Pric	e in Quan 10-49	tities 50-249
ROSA lucida (virginiana), 5'-6'		Virgin	ia Rose
Pink, June, July. Excellent border or neglect.	naturalizin		
12 to 18 in	.37	.30	.25
18 to 24 in		.45	.35
2 to 3 ft	.70	.55	.45
— multiflora, 9'-10'		Japanese	Rose
White, June. Strong grower. Free popular demand for hedges, screens planting. Use strong large plants for	s and gam	e conserv	ation
18 to 24 in	22	.20	.15
2 to 3 ft	.30	.25	.20
3 to 4 ft	.37	.30	.25
4 to 5 ft	$\begin{array}{c} .55 \\ .70 \end{array}$.45 $.55$	$\begin{matrix} .35 \\ .45 \end{matrix}$
— palustris (carolina), 6'-8'		Swar	np Rose
Pink, June-August. Does best in moist	location.		
12 to 18 in	.37	.30	.25
18 to 24 in	.55	.45	.35
2 to 3 ft	.70	.55	.45
3 to 4 ft	.85	.70	.55
— rubiginosa, 5'-6'		Sw	eetbr ie i
Bright pink flowers in June. Good folia	ge with ar	omatic od	or.
12 to 18 in	.37	.30	.25
18 to 24 in.		.45	.35
rubrifolio (ferruginea), 5'-6'		Rodle	af Rose
Distinct purplish-red foliage and bark			
18 to 24 in. 2 to 3 ft.	$\begin{matrix} .55 \\ .70 \end{matrix}$	$.45 \\ .55$.35
rugosa, 4'-5'		Red Rugo	sa Rose
Rich green foliage. Large red fruits. Pi Good seaside plant.		_	
12 to 18 in	.37	.30	.25
18 to 24 in	.55	.45	.35
2 to 3 ft	.70	.55	.45
— setigera, 5'-6'		Drair	ie Rose
3 .	grower	Fran	ie nose
Deep rose flower, June-July. Vigorous		٥	0.0
12 to 18 in	.30	.25	.20
18 to 24 in.	.37	.30	.25
2 to 3 ft	$\begin{array}{c} \textbf{.55} \\ \textbf{.70} \end{array}$	$\begin{matrix} \textbf{.45} \\ \textbf{.55} \end{matrix}$.35
		Wichuri	an Rose
— wichurajana white, 10'-12'			
— wichuraiana white, 10'-12' Prostrate trailing plant. Rich, shiny White flowers, late blooming.	foliage, a	lmost ev	ergreen
Prostrate trailing plant. Rich, shiny	foliage, a	lmost ev	ergreen. 25.

Unit Price in Quantities 50-249 10-49 1-9

CLIMBING ROSES OR RAMBLERS

Dorothy Perkins. Double shell pinl	Dorothy	Perkins.	Double	shell	pink
------------------------------------	---------	----------	--------	-------	------

Excelsa. Double crimson.

Hiawatha. Single red.

White Dorothy Perkins. Double white.

18 to 24 in., 1 year	.45	.37	.30
2 to 3 ft., 2 year	.60	.50	.40

SALISBURIA adiantifolia (See GINKGO)			
SALIX adenophylla, 6'		Furry	Willow
Similar to matabilis but heavier catkin	bearer.		
2 to 3 ft	.55	.45	.35
3 to 4 ft	.70	.55	.45
4 to 5 ft	.85	.70	.55
5 to 6 ft	1.10	.90	.75
— babylonica, 50'-60'	Babylon	Weeping	Willow
One of the best weepers. Long pendul waterside planting.	ous branch	nes. Excell	ent for
4 to 5 ft	1.00	.80	.65
5 to 6 ft	$\boldsymbol{1.30}$	1.10	.90
6 to 8 ft	1.90	1.50	1.25
— — salamoni (sepulcralis), 40'-50'	•	Weeping	Willow
Similar to Babylonica, but not so pendu	ılous.		
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.10	.95	.75
6 to 8 ft	1.90	1.50	1.25
8 to 10 ft	2.60	2.20	1.75
— blanda, 40'-50'		Weeping	Willow
Spreading habit. Pendulous at tips. Har	dy.		
4 to 5 ft	1.00	.80	.65
5 to 6 ft	1.50	1.25	1.00
8 to 10 ft	2.60	2.20	1.75
— caprea, 15'-20'		Goat	Willow
Very desirable for spring effects. Will wet places.	do well i	n dry as	well as
18 to 24 in	.37	.30	.25
2 to 3 ft	.55	.45	.35
3 to 4 ft	.70	.55	.45

.85

4 to 5 ft..... 1.65 1.35 1.10

discolor, 20' American Pussy Willow Similar to caprea.

	11001		o capica.			
3	to	4	ft	.75	.60	.50
4	to	5	ft,	1.10	.95	.75
5	to	6	ft	1.50	1.25	1.00

	Unit Pri 1-9	ce in Quan 10-49	tities 50-249
SALIX elegantissima, 60'-70'	Thurlow	Weeping	Willow
Vigorous upright grower; best for stree	et plantin	g.	
5 to 6 ft	1.10	.95	.75
6 to 8 ft.	1.90	1.50	1.25
8 to 10 ft	2.60	2.20	1.75
— incana, 8'-10'		Elaeagnus	Willow
Attractive silvery leaves. Slow growing			
in appearance.	, itesemb	ics itussia	11 01110
18 to 24 in	.45	.37	.30
2 to 3 ft	.55	.45	.35
5 to 6 ft	1.30	1.10	.90
— niobe, 40'-50'	Niobe	Weeping	Willow
Weeping form with golden bark.			
4 to 5 ft	1.00	.80	.65
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	2.25	$\boldsymbol{1.90}$	1.50
— pentandra, 20'-30'		Laurel	Willow
Upright. Shiny dark-green leaves. Exce	llent in s	easide plan	iting.
4 to 5 ft	.85	$.7\overline{0}$.55
5 to 6 ft	1.10	.90	.75
6 to 8 ft	2.25	1.90	1.50
8 to 10 ft	3.00	2.50	2.00
10 to 12 ft	3.75	3.00	2.50
— vitellina aurea pendula, 25'-30'		ng Golden	
Weeping tree similar to Salix babylonic			
4 to 5 ft	1.00	.80	.65
5 to 6 ft	$\begin{array}{c} 1.50 \\ 2.25 \end{array}$	$\begin{array}{c} 1.25 \\ 1.90 \end{array}$	$\begin{array}{c} 1.00 \\ 1.50 \end{array}$
8 to 10 ft	3.00	$\begin{array}{c} 1.50 \\ 2.50 \end{array}$	2.00
SAMBUCUS canadensis, 8'-9'		America	n Elder
White, fragrant flowers, June-July. Bla	ok harrias		
in moist locations.	ck berries	s, eurbie. S	ucceeus
18 to 24 in	.37	.30	.25
2 to 3 ft	.55	.45	.35
3 to 4 ft	.70	.55	.45
— acutiloba (rubra), 7'-9' Similar to above but has deeply cut, fer		f American	n Elder
2 to 3 ft		.24	.35
3 to 4 ft	.70	.55	.45
SNOWBALL (See VIBURNUM)			
SNOWBELL (See STYRAX)			
SNOWBERRY (See SYMPHORICARPOS)			
SORBARIA aitchisoni, 4'-5'	Kas	shmir Fals	e-spirea
Graceful compound foliage. Creamy wh			_
18 to 24 in.			.25
2 to 3 ft	$\begin{matrix} .37 \\ .55 \end{matrix}$.30 $.24$.25 $.35$
3 to 4 ft	.70	.55	.45
0 to 1 th	. 10		er.

SPICE BUSH (See BENZOIN)

SPICE BUSH (See BENZUIN)		
SPIREA albiflora (callosa alba), 3'	Japanese	Spirea
A good dwarf shrub. White flowers in July.		
9 to 12 in	.30	.25
— arguta, 5'-6'	Garland	Spirea
Very free flowering. Somewhat similar to th	unbergi but	more
vigorous.		
12 to 18 in	.30	.25
18 to 24 in	.45	.35
2 to 3 ft	.55	.45
— billiardi, 5'-6'	Billiard	Spirea
Bright pink, fluffy flower spikes, July-October.	Good in dr	y loca-
tions.		
18 to 24 in	.25	.20
2 to 3 ft	$.\overline{37}$.30
3 to 4 ft	.50	.40





Spirea Anthony Waterer-Selected deep-colored strain. Princeton quality.

— bumalda, 3']	Bumald	a Spirea
Light pink flowers, July-September. A	good dwarf	facing	shrub.
12 to 15 in	.30	.25	.20
15 to 18 in	.37	.30	.25
18 to 24 in.	.55	.45	.35
2 to 2½ ft.	.70	.55	.45

	Unit Pric	e in Quant 10-49	tities 50-249
PIREA bumalda Anthony Waterer, 3'	Anthon	y Waterer	Spirea
Deep rich, rose-pink. Sometimes slight Blooms all summer. Rich, reddish green		ation in	foliage
12 to 15 in	.37	.30	.25
		.40	.30
15 to 18 in.,	.50		
18 to 24 in	.60	.50	.40
2 to 2 ½ ft	.75	.60	.50
— froebeli 4'-5'	•	Frobel	Spirea
Taller and more vigorous than Antho pink flowers.	ny Water	er with b	righter
12 to 18 in	.30	.25	.20
18 to 24 in	.45	.37	.36
2 to 2½ ft	.60	.50	.40
– prunifolia plena, 7'-8'		Bridal	wreath
The true bridalwreath. White semi-dou	uhle flowe		
Glossy dark green leaves. Rich fall color		is in abu	naunco
12 to 18 in	.37	.30	.2
18 to 24 in.	.55	.45	.3
2 to 3 ft	.70	.55	.4
3 to 4 ft	.85	.70	.5
5 to 4 It	.00	. 10	.0
– reevesiana, 7'-8'		Reeves	_
Pure white, May-June. Graceful, arching late. Single or double varieties.	g habit; re	tains leav	es unti
18 to 24 in	.37	.30	.2
2 to 3 ft	.55	.45	.3
3 to 4 ft	.70	.55	
0 00 1 100	. 10	.00	.4:
—— fl. pl. (Lanceata), 7'-8'	Doul	ole Reeves	Spire
—— fl. pl. (Lanceata), 7'-8' Arching habit. Similar in habit and flow	Doul	ole Reeves ea Vanhou	Spire
— fl. pl. (Lanceata), 7'-8' Arching habit. Similar in habit and flow 12 to 18 in	Doulver to Spir	ole Reeves ea Vanhou .25	Spires atte.
—— fl. pl. (Lanceata), 7'-8' Arching habit. Similar in habit and flow	Doul	ole Reeves ea Vanhou	Spires atte.
fl. pl. (Lanceata), 7'-8' Arching habit. Similar in habit and flow 12 to 18 in	Doulver to Spir	ole Reeves ea Vanhou .25	Spire atte. .2
fl. pl. (Lanceata), 7'-8' Arching habit. Similar in habit and flow 12 to 18 in	Doubver to Spir	ole Reeves ea Vanhou .25 .30 .45	Spire atte2 .2 .3
—— fl. pl. (Lanceata), 7'-8' Arching habit. Similar in habit and flow 12 to 18 in	Doubver to Spir .30 .37 .55	ole Reeves ea Vanhou .25 .30 .45 Thunberg	Spire
fl. pl. (Lanceata), 7'-8' Arching habit. Similar in habit and flow 12 to 18 in	Doubver to Spir .30 .37 .55	ole Reeves ea Vanhou .25 .30 .45 Thunberg	Spire
- — fl. pl. (Lanceata), 7'-8' Arching habit. Similar in habit and flow 12 to 18 in	Doubter to Spir .30 .37 .55	ole Reeves ea Vanhou .25 .30 .45 Thunberg te flowers	Spire
- — fl. pl. (Lanceata), 7'-8' Arching habit. Similar in habit and flow 12 to 18 in	Doubver to Spir .30 .37 .55 pure whi	ole Reeves ea Vanhou .25 .30 .45 Thunberg	Spire utte2 .2 .3 Spire April
-—fl. pl. (Lanceata), 7'-8' Arching habit. Similar in habit and flow 12 to 18 in. 18 to 24 in. 2 to 3 ft. - thunbergi, 4'-5' Slender arching branches covered with May. Feathery light green foliage. 12 to 18 in. 18 to 24 in.	Doubver to Spir .30 .37 .55 pure whi	ole Reeves ea Vanhou .25 .30 .45 Thunberg te flowers .30 .45	Spires 12 13 25 37 38 39 40 50 50 50 50 50 50 50 50 50 50 50 50 50
- — fl. pl. (Lanceata), 7'-8' Arching habit. Similar in habit and flow 12 to 18 in. 18 to 24 in. 2 to 3 ft. - thunbergi, 4'-5' Slender arching branches covered with May. Feathery light green foliage. 12 to 18 in. 18 to 24 in. - tomentosa, 3'-4'	Doubter to Spir .30 .37 .55 pure whi	ole Reeves ea Vanhou .25 .30 .45 Thunberg te flowers .30 .45	Spire 12 .2 .3 Spire April .2 .3
- — fl. pl. (Lanceata), 7'-8' Arching habit. Similar in habit and flow 12 to 18 in. 18 to 24 in. 2 to 3 ft. - thunbergi, 4'-5' Slender arching branches covered with May. Feathery light green foliage. 12 to 18 in. 18 to 24 in. - tomentosa, 3'-4' Wooly, rose-pink flowers. July-Septem plantings.	Doubter to Spir .30 .37 .55 pure whith .37 .55	ole Reeves ea Vanhou .25 .30 .45 Thunberg te flowers .30 .45	Spires 12 13 25 37 38 38 39 30 30 30 30 30 30 30 30 30 30 30 30 30
 - — fl. pl. (Lanceata), 7'-8' Arching habit. Similar in habit and flow 12 to 18 in. 18 to 24 in. 2 to 3 ft. - thunbergi, 4'-5' Slender arching branches covered with May. Feathery light green foliage. 12 to 18 in. 18 to 24 in. - tomentosa, 3'-4' Wooly, rose-pink flowers. July-Septem 	Double of the pure while the control of the control	ole Reeves ea Vanhou .25 .30 .45 Thunberg te flowers .30 .45 Ha l in low .25	Spires 124 135 25 26 27 28 29 20 20 20 20 20 20 20 20 20 20 20 20 20
- — fl. pl. (Lanceata), 7'-8' Arching habit. Similar in habit and flow 12 to 18 in	Double of the pure white the control of the control	ole Reeves ea Vanhou .25 .30 .45 Thunberg te flowers .30 .45 Ha d in low	Spires 124 13 25 37 38 39 40 30 40 40 40 40 40 40 40 40 40 40 40 40 40
- — fl. pl. (Lanceata), 7'-8' Arching habit. Similar in habit and flow 12 to 18 in	Double of the pure white the control of the control	ole Reeves ea Vanhou .25 .30 .45 Thunberg te flowers .30 .45 Ha l in low .25	Spire 12 2 3 Spire April 2 3 Ardhae groun 2 2
fl. pl. (Lanceata), 7'-8' Arching habit. Similar in habit and flow 12 to 18 in. 18 to 24 in. 2 to 3 ft. thunbergi, 4'-5' Slender arching branches covered with May. Feathery light green foliage. 12 to 18 in. 18 to 24 in. tomentosa, 3'-4' Wooly, rose-pink flowers. July-Septem plantings. 12 to 18 in. 18 to 24 in. 2 to 3 ft.	Doubter to Spir .30 .37 .55 pure whi .37 .55	ole Reeves ea Vanhou .25 .30 .45 Thunberg te flowers .30 .45 Ha d in low .25 .30 .45	Spire atte2 .3 Spire April .2 .3 ardhae groun .2 .3
fl. pl. (Lanceata), 7'-8' Arching habit. Similar in habit and flow 12 to 18 in. 18 to 24 in. 2 to 3 ft. thunbergi, 4'-5' Slender arching branches covered with May. Feathery light green foliage. 12 to 18 in. 18 to 24 in. tomentosa, 3'-4' Wooly, rose-pink flowers. July-Septem plantings. 12 to 18 in. 18 to 24 in. 2 to 3 ft. vanhouttei, 8'-9'	Double of the state of the stat	ole Reeves ea Vanhou .25 .30 .45 Thunberg te flowers .30 .45 Ha in low .25 .30 .45 Vanhoutte	Spires .2 .3 Spire , April .2 .3 ardhac groun .2 .3 e Spire
- — fl. pl. (Lanceata), 7'-8' Arching habit. Similar in habit and flow 12 to 18 in	Double of the pure white the state of the st	ole Reeves ea Vanhou .25 .30 .45 Thunberg te flowers .30 .45 Ha in low .25 .30 .45 Vanhoutte	Spires .2 .3 Spire , April .2 .3 ardhac groun .2 .3 e Spire
- — fl. pl. (Lanceata), 7'-8' Arching habit. Similar in habit and flow 12 to 18 in	Double of the pure white the state of the st	ole Reeves ea Vanhou .25 .30 .45 Thunberg te flowers .30 .45 Ha in low .25 .30 .45 Vanhoutte	Spires 20 21 32 Spire April 2 3 Ardhac groun 2 3 Spire ardhac groun 2 3
fl. pl. (Lanceata), 7'-8' Arching habit. Similar in habit and flow 12 to 18 in	Double of the state of the stat	ole Reeves ea Vanhou .25 .30 .45 Thunberg te flowers .30 .45 Ha I in low .25 .30 .45 Vanhoutte A most ad	Spires 12 23 Spire April 2 3 Ardhac groun 2 2 3 Figure 12 13 14 15 16 16 17 18 18 18 18 18 18 18 18 18
- — fl. pl. (Lanceata), 7'-8' Arching habit. Similar in habit and flow 12 to 18 in	Double of the state of the stat	ole Reeves ea Vanhou .25 .30 .45 Thunberg te flowers .30 .45 Ha in low .25 .30 .45 Vanhoutte A most ad	s Spire .2 .3 .3 .3 .4 .4 .2 .3 .3 .3 .3 .3 .4 .4 .5 .5 .5 .6 .7 .7 .7 .7 .7 .7 .7 .7 .7 .7 .7 .7 .7

	1-0	20 20	
STAPHYLEA colchica, 10'-12'		Colchis Bla	addernut
Fragrant white flowers in May and June.	Deco	rative seed	pods.
6 to 8 ft	2.10	1.75	1.40
8 to 10 ft.	2.70	2.25	1.80





Spirea Vanhouttei, Weigelia rosea, and Philadelphus coronarius. Quality plants. Note 75,000 gallon water tank in background. We have portable irrigation equipment to cover several hundred acres, and deep wells with rotary pumps to supply adequate water.

— trifoliata, 10'-15'	Ame	rican Blac	ldernut
Dense shrub with numerous stout up Decorative seed pods.	right bran	nches fron	n base.
5 to 6 ft	1.10	.95	.75
6 to 8 ft	1.50	$\boldsymbol{1.25}$	1.00
SPRUCE (See PICEA)			
STYRAX japonica, 12'-15'	J	apanese Si	nowbell
White, ball shaped pendant flowers, Junaalsome specimen.	ine-July.	Makes a s	triking,
6 to 8 ft., B&B	11.00	9.50	
8 to 10 ft., B&B		12.50	
SUMAC (See RHUS)			

SWEET GUM (See LIQUIDAMBAR)

SYCAMORE (See PLATANUS)

(2001111111105)			
SYMPHORICARPOS chenaulti, 6'-8'		enault Snov	-
Brighter berries than vulgaris. Excellent	for sha	de planting	s.
12 to 18 in	.22	.20	.15
18 to 24 in		.25	
2 to 3 ft	.45	.35	.25
— racemosus (albus), 5'-6' Conspicuous white berries. Attractive fol and moist locations.	liage. G		vberry shade
12 to 18 in	.25	.20	.15
18 to 24 in	.30	.25	.20
2 to 3 ft	.45	.35	.25
3 to 4 ft	.55	. 45	.35





Two Year Flowering Shrubs-Princeton quality at reasonable prices.

— vulgaris (orbiculatus), 4'-5'			lberry
Coral-red berries through winter. Good in	shade and	bank pla	nting.
12 to 18 in	.25	.20	.15
18 to 24 in	.30	.25	.20
2 to 3 ft	.45	.35	.25
3 to 4 ft	.55	.45	.35
SYMPLOCUS paniculata, 25'-40'		Swe	etleaf
SYMPLOCUS paniculata, 25'-40' Deciduous shrub with slender spreading	branches.		
	branches.		
Deciduous shrub with slender spreading	branches.		
Deciduous shrub with slender spreading fragrant flowers.		Hardy;	white

	Unit Price 1-9	in Quan 10-49	tities 50-249
SYRINGA chinensis (rothomagensis), 8'-9'		Chines	se Lilac
Slender branches. Graceful habit. Vio flowering.	let flowers		
12 to 18 in	.37	.30	.25
18 to 24 in	.55	.45	.35
2 to 3 ft	.70	.55	.45
— saugeana 8'-9' Deep purple flowers.	Purple	e Chines	se Lilac
	.37	.30	
12 to 18 in	.55	.45	
2 to 3 ft	.70	.55	-
— josikaea, 9'-10' Violet flowers, June. Shining, dark gree		Iungaria	n Lilac
18 to 24 in	.45	.37	.30
2 to 3 ft	.60	.50	.40
villosa, 7'-8'		La	te Lilac
Pale pinkish-lilac, fragrant. Compact, bu	ushy habit.	200	222200
18 to 24 in	.37	.30	.25
2 to 3 ft	.55	.45	.35
3 to 4 ft	.75	.60	.50
4 to 5 ft	.90	.75	.60
— vulgaris, 12'-15' Delicate purple flowers, fragrant. May.	Commo	on Purpl	e Lilac
12 to 18 in.	.30	.25	.20
18 to 24 in	.45	.37	.30
2 to 3 ft	.60 $.75$.50 .60	.40
——————————————————————————————————————	Comm	on whit	e Lilac
15 to 18 in	.45	.35	.25
18 to 24 in	.55	.45	.35
2 to 3 ft	.70	.55	.45
FRENCH LILACS — NAMED *Special price — See page		es	
Adelaide Dunbar-Double-Red mauve. 12-1	•		
Alphonse Lavalle—Double—Light red purpl			
Belle de Nancy-Double-Light violet red. 1	2-18"; 18-2	24": 2-3	
Captain Baltet—Single—Light violet. 12-18			
Captain Perrault—Double—Rose mauve. 12-			
Charles Joly—Double—Medium violet red. 1			1944 EFE
Charles Tenth—Single—Dull red purple. 12-	$18'' \cdot 19_{-9}A''$. 9 9/	
Congo—Single—Deep violet red. 18-24"; 2-3		, 4-0	
Florent Stepman—Single—White large flow		9_9/	
Georges Bellair—Double—Medium red mauv	or. 12-10 ,	10 94"	0.9/
Hugo Koster—Single—Light red mauve. 12-3	18" 12-10",	9_9/	4-0
Jan Van Tol—Single—White. 12-18"; 18-24"		, 4-0	
John de Messmaker—Single—Light violet re-		8-94# . 6	2/
Katherine Havemeyer—Double—Light violet	nurnle 19.	-18"	1-0
	parpie, 12	18-24"	2-3/

Leon Gambetta—Double—Light mauve. 12-18"; 18-24"; 2-3'

FRENCH LILACS (cont.)

Leon Mathieu—Single—Deep violet red. 18-24"; 2-3'
Le Printemps—Double—Pale abelia lilac. 12-18"; 18-24"; 2-3'
Ludwig Spaeth—Single—Purple violet red. 12-18"; 18-24"; 2-3'
Mme. Casimier Perrier—Double—Creamy white. 12-18"; 18-24"
Mme. F. Morel—Single—Light mauve. 12-18"; 18-24"
Mme. Lemoine—Double—White. 12-18"; 18-24"; 2-3'
Marechal Lannes—Double—Light violet. 12-18"; 18-24"; 2-3'
Marie LeGraye—Single—White. 12-18"; 18-24"; 2-3'



Lilac Hybrids—Large variety list. Good sturdy quality.

Massena—Single—Deep purplish red. 12-18"; 18-24"; 2-3'
Michel Buchner—Double—Pinkish lilac. 12-18"; 18-24"; 2-3'
Mirabeau—Single—Early flowering. Purplish lilac. 12-18"; 18-24"; 2-3'; 3-4'
Olivier de Serres—Double—Bluish mauve. 12-18"; 18-24"; 2-3'
Paul Hariot—Double—Red mauve. 12-18"; 18-24"; 2-3'

	Unit Pr	rice in Quant	tities
	1-9		50-249
FRENCH LILACS (cont.)			
Paul Thirion—Double—Red mauve. 12-18";			
Pres. Grevy—Double—Light pink-lilac. 12-1	18"; 18-2	24"; 2-3'; 3	-4'
Pres. Poincare—Double—Clear red-purple.	12-18";	18-24"; 2-3'	
Reaumur—Single—Clear purple red. 12-18"	'; 18-24"	; 2-3'	
Rubra de Marly—Single—Pale lilac-red. 12 Volcan—Single—Deep violet red. 12-18"; 18			
Wm. Robinson—Double—Red violet-purple.	12-18";	18-24"; 2-3	,
*Our variety list is very large, covering listed here. If you desire to leave you there will be a 5ϕ per plant reduction.			
Above varieties at following prices:			
12 to 18 in	.60	.50	.40
18 to 24 in	.75	.60	.50
2 to 3 ft	1.00	.80	.65
3 to 4 ft	1.25	$\boldsymbol{1.05}$.85
TAMARIX gallica, 8'-9'		French T	amarix
Deciduous. Light pink in panicles, Magreen appearing foliage.	ay-June.	Blue-Green	ever-
18 to 24 in	.37	.30	.25
2 to 3 ft	.55	.45	.35
3 to 4 ft	.70	.55	.45
— parviflora, 12'-14'		Algerian Ta	amariz
Panicles of pink flowers. Foliage as abov	' Δ	Algerian 1	amarix
18 to 24 in	.37	.30	0.5
2 to 3 ft	.55	.45	$\begin{matrix} .25 \\ .35 \end{matrix}$
3 to 4 ft	.70	.55	.45
— pentandra, 12'-15'	TD 2		
	rı 	vestamen Ta	amarix
Slender and spreading growth. Pink flowdry or sandy soils. 18 to 24 in			
2 to 3 ft	$\begin{matrix} .37 \\ .55 \end{matrix}$.30	.25
3 to 4 ft	.70	.45 $.55$	$\begin{matrix} .35 \\ .45 \end{matrix}$
4 to 5 ft	.85	.70	.55
			.00
TAXUS — THE YEV	VS		
TAXUS baccata, 50'		Englis	h Yew
Dark green foliage. Broad vased pyrami	d. Brown	n fruit	11 1 C W
2 to 3 ft., B&B	5.50	4.50	
3 to 4 ft., B&B	7.50	6.00	
	ight Shov		. 37
Upright form of Taxus baccata.	ight ohoi	tleaf Englis	n Yew
18 to 24 in., B&B	5.00	4.00	
2 to 2 ½ ft B&B 2 ½ to 3 ft., B&B	6.00	5.00	`
3 to 3 ½ ft., B&B	$\begin{smallmatrix}8.00\\10.00\end{smallmatrix}$	6.50	
	10.00	8.00	
— repandens, 18"-24"	Sprea	ding Englis	h Yew
Spreading. Horizontal branches. Dark g low planting.	reen foli	age. Excelle	ent for
12 to 15 in., B&B	2.60	2.20	1.75

	Unit Pr	ice in Qua	ntities
	1-9	10-49	50-249
TAXUS baccata tardiva, 15'	Shor	tleaf Eng	lish Yew
Low irregular habit. Long spreading br	ranches.		
12 to 15 in., B&B	2.25	1.90	1.50
15 to 18 in., B&B	3.40	2.80	2.25
— cuspidata, 10'-15'	Spread	ling Japar	nese Yew
Rich, deep green leaves. Spreading, bush	y habit.	Very adap	table.
12 to 15 in., B&B	$\boldsymbol{2.25}$	1.90	1.50
15 to 18 in., B&B	3.40	2.80	2.25
18 to 24 in., B&B	$\boldsymbol{5.25}$	4.40	3.50
4 to 5 ft., specimens, B&B	27.00	22.50	
5 to 6 ft., specimens, B&B	36.00	30.00	
6 to 7 ft., specimens, B&B	50.00	40.00	
We call your special attention to the the			_



Taxus hicksi, brevifolia, and hatfieldi-A typical Princeton block of young, thrifty stock.

— — capitata, 25'-40'	Upri	ght Japane	se Yew
Upright form of cuspidata. Broad pyran	nid.		
15 to 18 in., B&B	3.00	2.50	2.00
18 to 24 in., B&B	4.50	3.75	3.00
2 to 2 ½ ft., B&B		$\boldsymbol{5.50}$	$\boldsymbol{4.50}$
2½ to 3 ft., B&B	_ 0.00	8.00	$\boldsymbol{6.50}$
LARGER SIZES—We have a fair numb			
capitata in sizes from 4' to 8'. Advise u	s of your	requireme	nts and
we will make a special quotation.			

ob Introduction rect			
	Unit Pr 1-9	ice in Quan 10-49	tities 50-249
TAXUS cuspidata nana (brevifolia), 2'-3' Broad, thick leaves, very dark green		varf Japan and irregu	
spreading habit. Very hardy.			
9 to 12 in., B&B	2.20	1.90	1.50
12 to 15 in., B&B		2.80	2.25
	Large Berri	ed Spreadi	ng Type
— sieboldi, 10'-15' A selected strain of Taxus cuspidata			
sion.	. Tiuli laig	,0, 001110 11	P-0-0
12 to 15 in., B&B	2.60	2.20	
15 to 18 in., B&B	0.55	3.00	
18 to 24 in., B&B	- 00	5.00	-
2 to 2½ ft., B&B	0 0 0	7.00	
,-			37
— — thayeri, 6'-8'		ers Spread	ing Yew
Low, wide, spreading form. Dark gre		4.00	
12 to 15 in., B&B		1.90	1.50
15 to 18 in., B&B		2.80	2.25
18 to 24 in., B&B		4.40	3.50
$2 \text{ to } 2\frac{1}{2} \text{ ft., } B\&B$	7. 50	6.00	5.00
wellesleyana		Welles	ley Yev
A fine selected spreading type of cus	pidata.		
12 to 15 in., B&B		2.20	1.78
15 to 18 in., B&B		3.00	2.50
18 to 24 in., B&B		5.00	3.78
2 to 2½ ft., B&B		7.00	5.5
		** 1	. 1 37
— intermedia, 12'-15'		Hyn	rid Yev
Hybrid between baccata and Taxus c	_		
12 to 15 in., B&B		2.20	1.7
15 to 18 in., B&B		2.80	2.2
18 to 24 in., B&B	5.2 5	4.40	3.50
— media browni, 10'-12'	,	Brown	Yew
An outstanding variety. Excellen			
pact, medium spreading. Shears			
men for hedge or foundation plan			
12 to 15 in. ,B&B		2.20	1.75
15 to 18 in., B&B		3.00	2.50
18 to 24 in., B&B 2 to 2½ ft., B&B		4.40	3.50
2 to 2 ½ It., B&B	7.50	6.00	5.00
hyarimadia 8/ 10/		Duced IImm	wht Was
— brevimedia, 8'-10'		Broad Upri	ight re
Hardy, broad, upright form. Dark g		0	
18 to 24 in., B&B		3.75	
2 to 2½ ft., B&B	6.75	5.50	
21/2 to 3 ft., B&B	9.00	7.50	
3 to 4 ft., B&B	11.00	9.00	
— — hatfieldi, 8'-10'		Hat	field Ye
Similar to Hicks Yew, but more con	npact.	2200	
12 to 15 in., B&B		1.00	1.5
15 to 18 in., B&B		$\begin{array}{c} 1.90 \\ 2.80 \end{array}$	$egin{array}{c} egin{array}{c} \egin{array}{c} \egin{array}{c} \egin{array}{c} \egin{array}{c} \egin{array}{c} \egin{array}$
18 to 24 in., B&B		$\begin{array}{c} 2.80 \\ 4.00 \end{array}$	$\frac{2.2}{3.2}$
2 to 2½ ft., B&B		$\frac{4.00}{5.50}$	3.2 4.5
2 to 272 to, Dan	0.10	5.50	4.6

	Unit Pri 1-9	ice in Qua 10-49	ntities 50-249
TAXUS media hicksi, 20'-25'		Hi	icks Yew
Columnar form with upright branches.			
15 to 18 in., B&B	3.00	2.50	2.00
18 to 24 in., B&B	4.50	3.75	3.00
2 to 2 ½ ft., B&B	6.00	5.00	4.00
2 ½ to 3 ft B&B	8.50	7.00	5.50
3 to 4 ft., B&B	12.50	10.00	8.00



Thuja pyramidalis, compacta, and Taxus browni—Evergreens grow well at Princeton.

THORN, FLOWERING (See CRATAEGUS)

THUJA — Arborvitae

THUJA occidentalis compacta, 2½'-4']	Parsons Arb	orvitae
Bright green. Almost globe shaped.			
9 to 12 in., B&B	1.10	.95	.75
12 to 15 in., B&B	1.50	$\boldsymbol{1.25}$	1.00
15 to 18 in., B&B	$\boldsymbol{2.25}$	1.90	1.50
— — globosa, 3'-4'		Globe Arb	orvitae
Rich green. Globe shape.			
9 to 12 in., B&B	1.10	.95	.75
12 to 15 in., B&B	1.50	$\boldsymbol{1.25}$	1.00
15 to 18 in., B&B	$\boldsymbol{2.25}$	· 1.90	1.50
18 to 24 in., B&B	3.40	2.80	$\boldsymbol{2.25}$

	Unit F 1-9	Price in Quan 10-49	tities 50-249
THUJA occidentalis hoveyi, 3'-4' Evergreen. Oval in shape, nearly as br	oad as	Hovey Ari high, Brigh	
foliage.	1.10	.95	.75
9 to 12 in., B&B 12 to 15 in., B&B	1.50	1.25	1.00
15 to 18 in., B&B	2.25	${\bf 1.90}$	1.50
2 to 2½ ft., B&B	3.75	$3.0\mathrm{o}$	
— — lutea, 10'-15'	George	Peabody Ar	borvitae
Columnar outline. Golden yellow foliage	e.		4 7 0
18 to 24 in., B&B	$\boldsymbol{2.25}$	1.90	1.50
2 to 3 ft., B&B	3.75	3.00	2.50





Dark American Arborvitae—(Thuja occidentalis nigra)—Compact, healthy, deep green foliage. We think the finest tall-growing Arborvitae.

— — nigra, 15'-30'			
New improved strain of America: metrical in form, deeper in color es Grown from cuttings. Very desiral Arborvitaes. Dark green. Compact.	pecially oble. The	during the best of the	winter.
18 to 24 in., B&B	1.50	1.25	1.00
2 to 2½ ft., B&B	2.60	2.20	1.75
2 ½ to 3 ft., B&B	3.75	3.00	2.50
3 to 4 ft., B&B	5.00	4.00	3.25
4 to 5 ft., B&B	6.75	5.50	4.50
5 to 6 ft., B&B	9.00	7.50	6.00
		**	

	Unit Price in Quantities		
	1-9	10-49	50-249
THUJA occidentalis pyramidalis, 15'-30'	Pyr	amidal A	rborvitae
Bright, rich green. Narrow columnar sh	nape.		
18 to 24 in., B&B	1.50	$\boldsymbol{1.25}$	1.00
2 to 2½ ft., B&B	2.60	2.20	1.75
2½ to 3 ft., B&B	3.75	3.00	2.50
3 to 4 ft., B&B	4.90	4.00	3.25
4 to 5 ft., B&B	6.75	$\boldsymbol{5.50}$	4.50
5 to 6 ft., B&B	9.00	7.50	6.00
— — wareana, 12'-15'	S	iberian A	rborvitae
Light green. Fleshy foliage. Broad pyra	mid. Very	adaptabl	le.
12 to 15 in., B&B	1.10	.95	.75
15 to 18 in., B&B	$\boldsymbol{1.50}$	1.25	
18 to 24 in., B&B	1.90	1.50	1.25
2 to 2½ ft., B&B		2.20	1.75



Thuja orientalis aurea nana and bakeri—Taxus in the background. Contour planting conserves moisture and fertility, means better plants for you. We are engineering entire nursery for this method where necessary.

BIOTA or CHINESE ARBORVITAE

— orientalis aurea nana, 2½'-3'	rckmans G	Holden Arb	orvitae
Rich golden yellow foliage. Compact, ro	undish sh	ape.	
9 to 12 in., B&B	$\boldsymbol{1.50}$	$\boldsymbol{1.25}$	1.00
12 to 15 in., B&B	1.90	$\boldsymbol{1.50}$	$\boldsymbol{1.25}$
15 to 18 in., B&B	$\boldsymbol{2.25}$	${\bf 1.90}$	1.50
18 to 24 in., B&B	3.00	$\boldsymbol{2.50}$	2.00

	Unit Pr 1-9	rice in Quar 10-49	
THUJA orientalis bakeri, 12'		Baker Ar	borvitae
Compact, pyramid. Bright green. Golden	n in spri	ng.	
18 to 24 in., B&B 2 to 3 ft., B&B	1.50	$\begin{array}{c} 1.25 \\ 1.50 \end{array}$	
elegantissima (biota), 7'-8'	ellow Co	lumnar Ar	borviate
Assumes a rich deep green bronze columnar.	color in	winter. C	compact,
18 to 24 in	2.60	$egin{array}{c} 2.20 \ 2.80 \end{array}$	
2 to 2½ ft	$\begin{array}{c} 3.40 \\ 4.10 \end{array}$	$\frac{2.80}{3.50}$	
— plicata atrovirens (lobbi), 100'		Giant Arb	orvitate
Rich shining deep green fleshy foliage.			
3 to 4 ft	5.00	4.00	3.25
4 to 5 ft	6.75	5.50	
5 to 6 ft	9.00	7.50	6.00
6 to 7 ft	12.00	10.00	8.00
— standishi, 25'-40'	S	tandish Ar	borvitae
Hardy evergreen of broad pyramidal ha	abit.		
18 to 24 in		2.80	2.25
2 to 3 ft		3.75	3.00
3 to 4 ft	6.00	5.00	4.00
TILIA — THE LINDI	ENS		
TILIA americana, 75'-90'		American	Linden
Fast growing, forming open head. Fragi	rant yell		
10 to 12 ft., 1½ to 1¾ in	4.50	3.75	3.00
10 to 12 ft., 1 ¾ to 2 in	5.25	4.40	3.50
12 to 14 ft., 2 to 2 1/4 in		5.50	4.50
12 to 14 ft., 2 ¼ to 2 ½ in	9.00	7.50	6.00
— cordata, 70'	Littlelea	f European	Linden
Small leaves. Forms very symmetrical t			
12 to 14 ft., 2 ½ to 3 in	12.00	10.00	
12 to 14 ft., 3 to 3½ in		12.00	
— platyphyllos, 70'	Biglea	f European	Linden
Large leaves. Early blooming. Symmetric planting.			
9 to 11 ft., 1½ to 2 in		$\begin{matrix} 5.00 \\ 6.25 \end{matrix}$	
- vulgaris (europaea), 70'-90'		Europeen	Lindon
Compact and symmetrical. Fragrant flow	wers late	European June	Linden
14 to 16 ft., 2½ to 3 in		10.00	8.00
14 to 16 ft., 3 to 3 ½ in	15.00	$\begin{array}{c} 10.00 \\ 12.50 \end{array}$	10.00
Oudon in multiples of 10 . I		• 7 7	

Order in multiples of 10 where possible.

THE HEMLOCKS

TSUGA canadensis, 75'-90'		Canada He	emlock
Most graceful and adaptable. Excellent fo	r hedge	or informal	plant-
ing. Shears well.			-
$1 \frac{1}{2}$ to 2 ft., B&B	2.25	1.90	1.50
2 to 2 ½ ft., B&B	3.40	2.80	2.25
$2\frac{1}{2}$ to 3 ft., B&B	4.90	4.05	3.25
3 to 4 ft., B&B	7.00	5.50	4.50



Canadian Hemlocks-Young, bright, and thrifty.

— pendula, 7'-8'		Weeping F	Hemlock	
Broad weeping type of Tsuga canadens 4 to 5 ft., B&B		15.00		
5 to 6 ft., B&B		19.00		
ULMUS americana, 80'-100'		Americ	an Elm	
Medium fast growing. Stately. Very des	sirable nat	tive tree.		
6 to 8 ft	1.10	.95	.75	
8 to 10 ft	1.90	1.50	1.25	
8 to 10 ft., 1 1/4 to 1 1/2 in	2.60	2.20	1.75	
9 to 11 ft., 1½ to 1¾ in		2.80	2.25	
10 to 12 ft., 1 3/4 to 2 in		3.50	2.75	
11 to 13 ft., 2 to 2½ in	$\bf 5.25$	4.40	3.50	

	Unit Pri 1-9	ce in Quai 10-49	ntities 50-249
ULMUS americana "Princeton," 80'-100' (Selected Vase Type)			ton Elm
A selected strain of American Elm. Si spreading top.	milar to		
8 to 10 ft., 1 1/4 to 1 1/2 in	3.00	2.50	2.00
10 to 12 ft., 1½ to 1¾ in	3.75	$\begin{matrix}3.00\\4.05\end{matrix}$	$\frac{2.50}{3.25}$
12 to 14 ft., 1 $\frac{3}{4}$ to 2 in	$\begin{array}{c} 4.90 \\ 6.75 \end{array}$	5.50	4.50
		En o	lish Elm
— campestris, 80'-100' Smooth bark. A desirable medium grow	ing tree.	_	
and angular in form.	2.00	2.50	2.00
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	$\begin{array}{c} 3.00 \\ 3.75 \end{array}$	$\begin{array}{c} 2.30 \\ 3.00 \end{array}$	$\frac{2.50}{2.50}$
11 to 13 ft., 1 ¾ to 2 in	4.90	4.05	3.25
11 to 13 ft., 2 to $2\frac{1}{2}$ in	6.75	5.50	4.50
(CTT)			•
€{ V }\$*		iahhuah D	luohommy
VACCINIUM corymbosum, 5'-6'	H	ighbush B	lueberry
Collected — Transplanted. Good native shrub. Flowers and fruit leach Rich autumn coloring.	beautiful.	Prefers a	cid soil.
1½ to 2 ft., B&B	2.25	1.90	
2 to 3 ft., B&B	3.00	2.50	2.00
VIBURNUM acerifolium, 4'-5'	Ma	pleleaf Vi	rburnum
White flowers, May, June. Maple-like I fall. Good in dry, shady places.		_	
12 to 18 in	.45	.37	.30
18 to 24 in	.60	.50	.40
— americanum (trilobum), 8'-9'		ean Cranb	errybush
Good foliage. Bright scarlet berries all			
12 to 18 in	.37	.30	.25
2 to 3 ft	$\begin{matrix} .55 \\ .70 \end{matrix}$	$\begin{matrix} .45 \\ .55 \end{matrix}$	$\begin{array}{c} .35 \\ .45 \end{array}$
3 to 4 ft	.85	.70	.55
4 to 5 ft	1.10	.95	.75
— cassinoides, 5'-6'		W	Vithe-rod
White flowers, May-June. Pink berries of foliage coloring. Good planted near water	hange to er.	blue. Rich	autumn
12 to 18 in	.45	.37	.30
18 to 24 in	.60	.50	.40
2 to 3 ft	.75	.60	.50
— dentatum, 10'-12'			rowwood
White flowers, May-June. Blue-black tumn coloring. Excellent in wet soil.	oerries. P	urple and	red au-
18 to 24 in	.37		.25
2 to 3 ft		.45	.35
3 to 4 ft	.70	.55	.45
6 to 8 ft	$\begin{array}{c} 1.25 \\ 1.50 \end{array}$	$\begin{array}{c} 1.05 \\ 1.25 \end{array}$	$\begin{array}{c} .85 \\ 1.00 \end{array}$
U UU U ZUMMAMAMAMAMAMAMAMAMAMAMAMAMAMAMAMAMAMAM	1.00	1.45	1.00

.45 .60 .95 Wayn foliage. R .25 .30 .55 .75 .95	.50 .75 faring-tree ted berries .20 .25
.45 .60 .95 Wayn foliage. R .25 .30 .55 .75 .95	.35 .50 .75 faring-tree ted berries .20 .25
.60 .95 Wayn foliage. R .25 .30 .55 .75 .95	.50 .75 faring-tree ted berries .20 .25
.95 Wayn foliage. R .25 .30 .55 .75 .95	.75 faring-tree ted berries .20 .25
Wayn foliage. R .25 .30 .55 .75 .95	faring-tree ted berries .20 .25
.25 .30 .55 .75 .95	ted berries .20 .25
$egin{array}{c} .25 \\ .30 \\ .55 \\ .75 \\ .95 \\ 1.25 \\ \end{array}$.20 .25
.30 .55 .75 .95 1.25	.25
.55 .75 .95 1.25	
.75 .95 1.25	
$\begin{matrix} .95 \\ 1.25 \end{matrix}$	
1.25	
N	annyberry
olack frui	
.30	
.45	
.55	
.80	
1.05	
1.25	1.00
-	Viburnum
foliage.	Good fall
.30	.25
.45	.35
.55	.45
.75	.60
.95	.75
Common	Snowball
.37	.30
.50	.40
.60	.50
	Blackhaw
.50	.40
.60	
.75	
.90	
1.25	1.00
1.50	1.25
Siehold	Viburnum
	Rich dark
to black.	.35
.45	
	1.50 Siebold to black.

	Unit Pri 1-9	ce in Quant 10-49	ities 50-249
VIBURNUM tomentosum, 7'-8'	Do	ublefile Vib	urnum
White flowers borne in flat heads, June.	Red to b	lack berries	3.
12 to 18 in	.45	.37	.30
18 to 24 in	.60	.50	.40
2 to 3 ft	.75	$\begin{array}{c} .60 \\ .75 \end{array}$	$\begin{array}{c} .50 \\ .60 \end{array}$
3 to 4 ft	.90	. 10	.00
— — plicatum 7'-8'		apanese Sn	
Showy white flowers in balls in June. F purple autumn coloring.	Rich hand	some foliag	e with
12 to 18 in	.70	.55	.45
18 to 24 in	.90	.75	.60
2 to 3 ft	1.10	.95	.75
3 to 4 ft	1.30	1.10	.90
VINCA minor, 6"-8"	Per	iwinkle or	Myrtle
Trailing evergreen. Glossy foliage. Blue ground cover in sun or shade.	flowers in	spring. Ex	cellent
3 in. pots, 2 year	.30	.25	.20
VITEX macrophylla, 3'-4' Lar (latifolia)	ge-leaved	Lilac Chas	te tree
Lilac flowers, August, September. Gray Prefers sun.	y-green st	ar shaped	leaves.
12 to 18 in	.37	.30	.25
18 to 24 in	.55	.45	.35
WEIGELIA candida, 7'-8'		White W	eigelia
Large green-white flowers.		***************************************	
18 to 24 in	.45	.37	.30
2 to 3 ft	.55	.45	.35
3 to 4 ft	.70	.55	.45
— Eva Rathke, 4'-5'	Pod	flowered W	oigolia
Carmine, free flowering, June-August.			eigeila
		_	0.5
12 to 18 in	$\begin{matrix} .55 \\ .70 \end{matrix}$.45	.35
2 to 3 ft	.85	$\begin{matrix} .55 \\ .70 \end{matrix}$.45
3 to 4 ft	1.05	.90	.70
— Feerie, 5'-6'		Wooni - TT	Toices!:-
	hoat mini	Feerie W	eigeiia
Rich rose-colored flowers. Probably the	DEST DINE	weigelia.	
12 to 18 in		4 =	
	.55	.45	.35
	$\begin{array}{c} .55 \\ .70 \end{array}$.55	.45
2 to 3 ft	.55		
2 to 3 ft	$ \begin{array}{r} .55 \\ .70 \\ .85 \\ 1.05 \end{array} $	$.55 \\ .70 \\ .90$.45 .55 .70
2 to 3 ft. 3 to 4 ft. — Gustav Mallot 6'-8'	$ \begin{array}{r} .55 \\ .70 \\ .85 \\ 1.05 \end{array} $	$\begin{array}{c} \textbf{.55} \\ \textbf{.70} \end{array}$.45 .55 .70
2 to 3 ft. 3 to 4 ft. — Gustav Mallot 6'-8' Rose-red, June-August. Good grower.	.55 .70 .85 1.05	.55 .70 .90 Rose Red W	.45 .55 .70
2 to 3 ft. 3 to 4 ft. — Gustav Mallot 6'-8' Rose-red, June-August. Good grower. 12 to 18 in.	.55 .70 .85 1.05	.55 .70 .90 Rose Red W	.45 .55 .70 Veigelia
2 to 3 ft. 3 to 4 ft. — Gustav Mallot 6'-8' Rose-red, June-August. Good grower.	.55 .70 .85 1.05	.55 .70 .90 Rose Red W	.45 .55 .70

	Unit Price in Quantities		
	1-9	10-49	50-249
WEIGELIA rosea (florida rosea), 7'-8'		Pink	Weigelia
Pink flowers, June. Strong grower. Good	d foliage.		
12 to 18 in	.30	.25	.20
18 to 24 in	.35	.30	.25
2 to 3 ft	.45	.37	.30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50



() []



Aero-Mist Spraying—With this modern equipment large areas can be covered very quickly with a blanket of spray material.

WILLOW (See SALIX)

WISTERIA floribunda macrobotrys (Multijuga), 35'-50'

Longcluster Wisteria Has long drooping racemes of purple flowers. Unusually fine to cover a trellis or pergola.

or the desired of Personal			
2 year grafts	.45	.37	.30
— multijuga alba, 35'-50'	White	Weeping	Wisteria
White flowers in drooping racemes.			
2 year grafts	.60	.50	.40
—— rosea, 35'-50'	Rosy	Weeping	Wisteria
Pink flowers in drooping racemes.			
2 year grafts	.60	.50	.40

---- Y

YEW (See TAXUS)

Order in multiples of 10 where possible.

ZANTHORHIZA apiifolia, 2'-3'

Yellowroot

(Xanthorhiza simplicissima)

Small purplish flower, May, June. Excellent ground cover. Does well in dry sandy soil and banks.

9 to 12 in., 2 year	.30	.25	.20
12 to 15 in., 3 year	.37	.30	.20
15 to 18 in., 3 year	.55	.45	.35

APPLES

- Baldwin—An old favorite. Firm dark red fruit. Excellent for eating and cooking. Winter variety. 4', 5', 6', 7'.
- Cortland—McIntosh type but ripening later. Bright red, distinct stripes. Vigorous. Bears young. 3', 4', 5', 6'.
- Fall Pippin—Excellent quality. Golden yellow. Good cooking variety. Ripens September. 4', 5', 6', 7'.
- Grimes Golden—Medium large. Spicy flavor. Ripens November to February. 4', 5', 6', 7'.
- Hyslop Crab—Dark red fruit in clusters. Heavy bearer. Very productive and ornamental. September. 4', 5'.
- McIntosh—Probably the most popular variety. Deep red. Excellent quality. Very hardy. Ripens October to January. 4', 5', 6', 7'.
- Petrel—Green with red stripe. Good for cooking and eating. Ripening in the fall. Resembles McIntosh in flavor. 4', 5', 6', 7'.
- Red Delicious—An improved strain of Delicious. Large red. Good shipper. Fine quality. Ripens October to March. 3', 4', 5', 6', 7'.
- Rome Beauty—Good quality. Keeps well. Large, smooth, yellow striped red. Ripens November to May. 4', 5', 6', 7'.
- Stayman Winesap—An improved Winesap. Vigorous. Medium to large. Good quality. Red striped with carmen. Ripens December to May. 4', 5', 6'.
- Yellow Delicious—Large, bright yellow. Good quality. Ripens October to April. 3', 4', 5', 6', 7'.
- Yellow Transparent—Medium size. Very hardy. Ripens July and August. 4', 5', 6', 7'.
- Wealthy—Pale yellow, striped with red. Excellent cooking variety. Ripens October to January. 4', 5', 6'.

1" up, 7 ft. up	1.30	1.10	.90
3/4" up, 6 ft. up	1.10	.90	.75
11/16" up, 5 ft. up	.75	.60	.50
9/16" to 11/16", 4 ft. up	.60	.50	.40
7/16" to 9/16", 3 ft. up	.40	.32	.28
5/16" to 7/16", 2 ft. up	.33	.27	.22

PEACHES

Belle of Georgia—Fine quality. White, red cheek. Large freestone. An excellent variety. Ripens mid-season.

Elberta—Yellow freestone. Fruit of large size. Most popular commercial variety. Ripens mid-season.





Peach trees—Our fruit trees are always of excellent quality.

Golden East—Good size. Yellow freestone. Quality is good and is adapted to light soils. Ripens two weeks before Elberta.

Golden Jubilee—A New Jersey introduction. An excellent early yellow peach. Freestone. Good flavor. Ripens just before Hale Haven.

Hale Haven—Yellow freestone. Good size. Bright red color. Excellent flavor. Rugged grower and hardy in fruit bud. Good variety. Ripens just after Golden Jubilee.

J. H. Hale—Large size. Highly colored yellow freestone. Requires cross pollinization. Ripens about with Elberta.

1 in. up, 5 ft. up	.90	.75	.60
11/16" up, 4½ ft. up	.70	.55	.45
9/16" to 11/16" 4 ft. up	.55	.45	.35
7/16" to 9/16" 3 ft. up	.37	.30	.25
5/16" to 1/16" 2 ft. up	.27	.22	.18
18 to 24 in.	2.2	2.0	.15

PEAR TREES

Bartlett-Most popular. Ripens in September. 3-4', 4-5', 5-6', 6-7'.

Beurre Bosc—Large, bronzy-yellow. Flesh white, rich and delicious Gourd shaped. Oct.-Jan. 3-4', 4-5', 5-6'.

Clapps Favorite—Large, resembling Bartlett; yellow. Fine texture; delicate flavor. Very hardy. Aug.-Sept. 3-4', 4-5', 5-6'.

Kieffer—Large fruit. Yellow with blush. Good canning pear. Ripens October and November. 3-4', 4-5', 5-6', 6-7'.

Seckel—Small fruit. Yellowish brown. Sweet. Extremely high quality. Juicy. Ripens October. 2-3', 3-4', 4-5', 5-6'.

2 yr., 6 to	7	ft	1.65	$\boldsymbol{1.35}$	1.10
2 yr., 5 to	6	ft	$\boldsymbol{1.25}$	1.05	.85
2 yr., 4 to	5	ft	1.00	.80	.65
2 yr., 3 to	4	ft	.75	.60	.50
2 vr., 2 to	3	ft	.55	.45	.35

GRAPE VINES

	T-8	10-49
Agawam—Red. 2 year No. 1	.22	.20
Caco—Red. 2 year No. 1	.22	.20
Fredonia—Early black. 2 year No. 1	.22	.20
Niagra—White. 2 year No. 1	.22	.20

HYBRID BLUEBERRIES

Three of the best varieties.

Jersey-Large good flavored berries. Ripens with Rubel.

Rancocus—Earlier than Rubel. Heavy bearer.

Rubel—Heavy bearing. Late. Good quality.

Plant three varieties for proper pollinization.

9	to	12	in	.45	.37	.30
12	to	15	in	.60	.50	.40

MEMORANDA

MEMORANDA

SPECIAL OFFER — ASSORTED SHRUBS

Our selection includes all desirable varieties for landscape plantings.

Many of our customers have asked us for assorted shrubs where the varieties do not have to be specified. We are, therefore, offering three groups of shrubs this season. The varieties used will naturally be made up of items that we have in good supply at the time.

	100 or more	1000 or more
GROUP A—Shrubs, 2 yr. Average 2 ft. or more, including many good ornamental varieties of Cornus, Deutzia, Spirea,		
Lonicera and others	.35	.30
GROUP B—Shrubs, 3 yr. Average 3 ft. or more, including all good ornamental varieties same as above		.35 3
GROUP C—Special, 3 and 4 yr. Shrubs. Average 4 ft. or more, including all good ornamental varieties as above with the addition of some of the better varieties of Viburnum, etc.		.40
varieties of viburitum, etc	.)0	.40

We may also from time to time have special offers of assorted SHADE TREES, SMALL EVERGREENS, or other items. Consult us first and take advantage of the savings involved.



PRINCETON PRODUCTS ARE QUALITY PRODUCTS